


Franklin
1-31-4



E (CENTER OF SECTION)

Date Located: 2/24/20
By: SRM
Monument Description: RR RAIL FCP
Monument Witnesses: _____

Field Book: 18 Page: 54

F (EAST QUARTER CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

G (SOUTHWEST CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: SEE SECOR 2-31-4
Pg. 53 "I"

Field Book: _____ Page: _____

H (SOUTH QUARTER CORNER)

Date Located: 9/5/18
By: SRM
Monument Description: 3/4" REBAR "
Monument Witnesses: SEE Pg 57 "B"

Field Book: 11 Page: 9

I (SOUTHEAST CORNER)

Date Located: 6/8/16 SRM
By: SEE SECOR 7-31-5
Monument Description: SEE PAGE 72 "A" BOAT SPIKE
Monument Witnesses: _____

Field Book: 4 Page: 4

ADDITIONAL NOTES

A (NORTHWEST CORNER)

Date Located: 5/31/16
By: SR MOYER
Monument Description: FO BRONZE MONUMENT 5" DEEP
Monument Witnesses: SET 1/2" REBAR W/CAP NW 44.35'
MAG NAIL IN NIPSCO POLE 637/852 NE 40.56'
SET 1/2" REBAR W/CAP SE 47.90'
NE BOLT OF RR SIGNAL BASE SW 33.34'

Field Book: 3 Page: 68

B (NORTH QUARTER CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

C (NORTHEAST CORNER)

Date Located: 5/31/16
By: SR MOYER
Monument Description: FO MAG NAIL IN WASHER FLUSH
Monument Witnesses: MAG NAIL IN POLE NE 30.75'
SET 1/2" REBAR W/CAP SE 46.77'

Field Book: 3 Page: 66

D (WEST QUARTER CORNER)

Date Located: 11/7/19
By: SRM MWH
Monument Description: MAG NAIL
Monument Witnesses: 2 1/2" DIA STEEL FCP E 20.0'
1/2" REBAR W/CAP NE 23.39'
KIMPEL CAPPED IRON W 22.28'

Field Book: 18 Page: 18



Date Located: 7/30/92
By: JB MOYER - ECHAINES
Monument Description: RA BOLT / MAG NAIL w/ TAG OVER BOLT
Monument Witnesses: CENTER OF RA RAIL FCP NE 34.70
CENTER OF A 3"x6" I BEAM FCP ESE 19.60
CENTER OF A RA RAIL FCP W 20.31

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Date Located: 7/16/92
By: JA MONGER - ECHAMBERS
Monument Description: AB BOLT
Monument Witnesses: ED SMALL PK NAIL IN ROAD E W 4.0
ED SMALL PK NAIL S 4.0
SEINAIL IN BOTTLE CAP IN TOP OF 8" DIA WOOD POST NEXT TO A.P.W. 51.37
CENTER OF A STATE R/W MARKER (CONG) SSE 77.70
" " " " " " SW 50.95

Date Located: 7/16/92
By: JR MOYER - FCHAINES
Monument Description: J.P. WICAP INSIDE
Monument Witnesses: NE CORNER OF A RAIL RCP WSW 39.00
SET NAIL IN BOTTLE CAP IN W. FACE OF A P.D. NNE 67.40
" " " " " " " " ESE 54.50

Date Located: 7/30/92
By: JA MOYER - EC HAINES
Monument Description: RR SPIKE
Monument Witnesses: CENTER OF A STATE R/W MARKER SSW 62.45
CENTER OF A STATE R/W MARKER WSW 60.17
NAIL IN B. CAP NIPSCO PPOLE ESE 104.63'
NAIL IN B. CAP NIPSCO PPOLE WSE 123.14'
MAG NAIL W/TAG NW 25.06'


Date Located: 7/31/92
By: JA MOYER-ECHAINES
Monument Description: RA SPIKE
Monument Witnesses: CENTER OF A RAIL FCP S 20.17
FO A ROOFING NAIL IN A BOTTLE CAP IN NE FACE OF PP SSE 23.43
FO A 1/2" IRON PIN W 4.35
FO A PK NAIL W 11.35
WITNESSES TO 1/2" IRON PIN IN BOOM

Date Located: 5/31/16
By: SR MOYER
Monument Description: FO BROWN MONUMENT 5" DEEP
Monument Witnesses: SEE PG 52 "A"

Date Located: 7/31/90
By: JR MOYER - EC HAINES
Monument Description: PINAIL
Monument Witnesses: _____
SET NAIL IN BOTTLE CAP IN W. FACE OF A PHONE P. SSE 55.58
E. " " " "
" " " " POWER P. SSW 55.28
N. " " " "
WSW 66.20

Date Located: 7/16/19
By: J.B. MOYER - F.R. HANLEY
Monument Description: BRASS
Monument Witnesses: SGT 1/2 x 30" BRASS W/CLAP NW 22.44
CENTER OF 3" DIA STEEL PIPE E 19.77

ADDITIONAL NOTES



Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

Date Located: 3/23/17
By: JRM
Monument Description: FO MAG NAIL FLUSH
Monument Witnesses: NAIL IN B. CAP P. POLE WNW 84.24
1/2" REBAR W/CAP SE 50.03'
± CONC B/W MONUMENT SSW 76.25'
± CONC B/W MONUMENT WSW 61.30'
MAG NAIL IN NIPSCO 292/252 WSW 61.99'

Field Book: 6 Page: 47

Date Located: 7/16/92
By: JAMoyer-ECNAINES
Monument Description: BRONZE MARKER
Monument Witnesses: SOUTH FACE OF AAR BAIL FCP NNW 46.00 ✓
SET NAIL IN BOTTLE CAP IN NW FACE OF A P.P. ESE 63.35 ✓
" " " " " SW " " " " SSE 47.35 ✓

Field Book: 2 Page: 9 UPDATED 6/20/18

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

Date Located: 7/16/92
By: JR MOYER - EC HAINES
Monument Description: ~~PK NAIL~~ 1/2" REBAR
Monument Witnesses: CENTER OF A RR RAIL FCP N 20.25 ✓
CENTER OF A RR RAIL FCP S 20.35 ✓
SET NAIL IN BOTTLE CAP IN NW FACE OF A P.P. SW 21.43 ✓

Field Book: 2 Page: 8 UPDATED 6/25/18 JRM

Date Located: 7/16/92 UPDATED 3/23/17
By: SRM
Monument Description: _____
Monument Witnesses: _____

Field Book: 2 Page: 7 UPDATED 3/23/17


Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: SEE pg. 53 G

Field Book: _____ Page: _____

Date Located: 7/16/92
By: JA MONER-EC HAINES
Monument Description: BB SPIKE
Monument Witnesses: CENTER OF A BB BAIL FCP E 16.15 ✓
SETNAIL IN BOTTLECAP IN SW CORNER OF A P.P. SSE 41.57 ✓

Field Book: 2 Page: 9 UPDATED 6/20/18

ADDITIONAL NOTES



A (NORTHWEST CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: SEE SWCOR 3-31-4
Pg. 54 "G"

Field Book: _____ Page: _____

B (NORTH QUARTER CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: SEE S1/4 POST 3-31-4
Pg. 54 "H"

Field Book: _____ Page: _____

C (NORTHEAST CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: SEE SW 2-31-4
Pg. 53 "G"

Field Book: _____ Page: _____

D (WEST QUARTER CORNER)

Date Located: 2/19/19
By: SRM
Monument Description: 5/8" REBAR 4" DEEP
Monument Witnesses: 1/2" REBAR W/CAP NW 25.52'
1/2" REBAR W/CAP SW 28.31'

Field Book: 12 Page: 4

E (CENTER OF SECTION)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

F (EAST QUARTER CORNER)

Date Located: 3/21/19
By: SRM MWH
Monument Description: STONE
Monument Witnesses: SEE Pg 56 "O"

Field Book: 12 Page: 58

G (SOUTHWEST CORNER)

Date Located: 2/16/18
By: SRM
Monument Description: FD 3/4" IRON ROD 4" DEEP
Monument Witnesses: SEE Pg 60 "A"

Field Book: 8 Page: 70

H (SOUTH QUARTER CORNER)

Date Located: 2/19/19
By: SRM
Monument Description: FD RR SPIKE
Monument Witnesses: NAIL IN B. CAP REMC POLE ESE 50.36'
1/2" REBAR W/CAP SSE 22.00'
4 RR RAIL FCP S 19.52'


Field Book: 12 Page: 5

I (SOUTHEAST CORNER)

Date Located: 3/21/19
By: SRM MWH
Monument Description: STONE
Monument Witnesses: 1/2" REBAR W/CAP NW 27.55'
1/2" REBAR W/CAP SE 27.10'
NAIL IN B. CAP POWER POLE SW 36.97'

Field Book: 12 Page: 57

ADDITIONAL NOTES



Field Book: _____ Page: _____

Field Book: _____ Page: _____

Field Book: _____ Page: _____


Field Book: 12 Page: 58

Field Book: _____ Page: _____

Field Book: _____ Page: _____

Field Book: 17 Page: 57Field Book: 12 Page: 3Field Book: 4 Page: 56

ADDITIONAL NOTES



A (NORTHWEST CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: SEE SE 2-31-4
Pg. 63 "I"

Field Book: _____ Page: _____

B (NORTH QUARTER CORNER)

Date Located: 9/5/18
By: SRM
Monument Description: 3/4" REBAR
Monument Witnesses: 1/2" REBAR W/CAP NW 26.43'
1/2" REBAR W/CAP SW 27.85'

Field Book: 11 Page: 9

C (NORTHEAST CORNER)

Date Located: 6/8/16
By: SR MOYER
Monument Description: SEE PAGE 72 "N" BOAT SPIKE
Monument Witnesses: _____

Field Book: 4 Page: 4

D (WEST QUARTER CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

E (CENTER OF SECTION)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

F (EAST QUARTER CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: SEE W/4 Post 7-31-5
(Pg 72 "D")

Field Book: _____ Page: _____

G (SOUTHWEST CORNER)

Date Located: 8/29/16
By: SRM
Monument Description: FO HARRISON MONUMENT FLUSH
Monument Witnesses: MAG NAIL IN P POLE ESE 58.13'
1/2" SQ CONC FCP SSW 47.73'
MAG NAIL IN P POLE WSW 31.00'

Field Book: 4 Page: 56

H (SOUTH QUARTER CORNER)

Date Located: 3/22/19
By: SRM MWH
Monument Description: 12R SPIKE
Monument Witnesses: 1/2" REBAR W/CAP NW 36.90'
SE CORNER 16" CONC FCP N 18.1'
1/2" REBAR W/CAP SW 28.60'

Field Book: 12 Page: 60


I (SOUTHEAST CORNER)

Date Located: 6/8/16
By: SR MOYER
Monument Description: FO MAG NAIL IN WASHER FLUSH
Monument Witnesses: SEE Pg 72 "G"

Field Book: 4 Page: 3

ADDITIONAL NOTES

Franklin
13-31-4



E (CENTER OF SECTION)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

F (EAST QUARTER CORNER)

Date Located: 5/26/21
By: DEM MWH
Monument Description: MAG NAIL
Monument Witnesses: 1/2" REBAR W/CAP SE 30.10'
1/2" REBAR W/CAP SW 31.40'
NAIL IN B. CAP POWER POLE SSW 60.72'

Field Book: 20 Page: 18

A (NORTHWEST CORNER)

Date Located: 8/29/16
By: DEM
Monument Description: FD HARRISON MONUMENT
Monument Witnesses: SEE Pg 56 "I"

Field Book: 4 Page: 56

G (SOUTHWEST CORNER)

Date Located: 2/14/17
By: DEM
Monument Description: FD HARRISON MONUMENT
Monument Witnesses: USCGS BM 9178 NE 53.43'
1/2" REBAR W/CAP NE 53.88'
1/2" REBAR W/CAP SE 59.18'
NAIL IN TAG IN P POLE SW 75.71'

Field Book: 6 Page: 2

B (NORTH QUARTER CORNER)

Date Located: 3/22/19
By: DEM
Monument Description: RR SPIKE
Monument Witnesses: SEE Pg 57 "H"

Field Book: 12 Page: 60

H (SOUTH QUARTER CORNER)

Date Located: 3/22/19
By: DEM MWH
Monument Description: RR SPIKE SET
Monument Witnesses: 1/2" REBAR W/CAP NW 24.30'
1/2" REBAR W/CAP NE 41.06'
1/2" REBAR W/CAP SW 43.95'

Field Book: 12 Page: 61

C (NORTHEAST CORNER)

Date Located: 6/8/16
By: DEM MOYER
Monument Description: FD MAG NAIL IN WASHER FLUSH
Monument Witnesses: SEE Pg 72 "G"

Field Book: 4 Page: 3

I (SOUTHEAST CORNER)

Date Located: 5/18/17
By: DEM
Monument Description: FD BRONZE MONUMENT
Monument Witnesses: SEE Pg 75 "G"


Field Book: 7 Page: 9

D (WEST QUARTER CORNER)

Date Located: 2/14/17
By: DEM
Monument Description: FD HARRISON MONUMENT
Monument Witnesses: 1/2" REBAR W/CAP NNW 55.45'
1/2" REBAR W/CAP NNE 47.04'
W FACE OF CONC FCP E 19.85'

Field Book: 6 Page: 1

ADDITIONAL NOTES



E (CENTER OF SECTION)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

F (EAST QUARTER CORNER)

Date Located: 2/14/17
By: SEM
Monument Description: FO HARRISON MONUMENT
Monument Witnesses: SEE Pg 58 "D"

Field Book: 6 Page: 1

A (NORTHWEST CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

G (SOUTHWEST CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

B (NORTH QUARTER CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

H (SOUTH QUARTER CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

C (NORTHEAST CORNER)

Date Located: 8/29/16
By: SEM
Monument Description: FO HARRISON MONUMENT
Monument Witnesses: SEE Pg 56 "I"

Field Book: 4 Page: 56

I (SOUTHEAST CORNER)

Date Located: 2/14/17
By: SEM
Monument Description: FO HARRISON MONUMENT
Monument Witnesses: SEE Pg 58 "G"

Field Book: 6 Page: 2


D (WEST QUARTER CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

ADDITIONAL NOTES

Franklin
15-31-4



A (NORTHWEST CORNER)

Date Located: 2/16/18
By: SRM
Monument Description: FD 3/4" IRON ROD 4" DEEP
Monument Witnesses: 4 I-BEAM NNW 56.7'
1/2" REBAR W/CAP NE 46.65'
1/2" REBAR W/CAP SE 50.46'

Field Book: 8 Page: 70

B (NORTH QUARTER CORNER)

Date Located: 2/19/19
By: SRM
Monument Description: FD RR SPIKE
Monument Witnesses: SEE Pg 55 "H"

Field Book: 12 Page: 5

C (NORTHEAST CORNER)

Date Located: 3/21/19
By: SRM MWH
Monument Description: STONE
Monument Witnesses: SEE Pg 55 "I"

Field Book: 12 Page: 57

D (WEST QUARTER CORNER)

Date Located: 2/16/18
By: SRM
Monument Description: FD STONE 18" DEEP
Monument Witnesses: 1/2" REBAR W/CAP NE 24.92'
FACE CONC FCP E 16.35'
NAIL IN B.CAP POWER POLE ESE 16.58'

Field Book: 8 Page: 71

E (CENTER OF SECTION)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

F (EAST QUARTER CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

G (SOUTHWEST CORNER)

Date Located: 2/27/19
By: SRM
Monument Description: 1/2" REBAR
Monument Witnesses: NAIL IN B.CAP POWER POLE SSW 45.27'
1/2" REBAR W/CAP NE 29.54'
NAIL IN B.CAP POWER POLE ENE 52.10'

Field Book: 12 Page: 16

H (SOUTH QUARTER CORNER)

Date Located: 2/27/19
By: SRM
Monument Description: RR SPIKE
Monument Witnesses: CORNER RR RAIL FCP NW 26.76'
4 RR RAIL FCP N 16.9'
1/2" REBAR SE 23.66'

Field Book: 12 Page: 17

I (SOUTHEAST CORNER)

Date Located: 2/27/19
By: SRM
Monument Description: RR SPIKE
Monument Witnesses: NAIL IN B.CAP REMC POLE WNW 58.77'
1/2" REBAR W/CAP SW 26.28'

Field Book: 12 Page: 18

ADDITIONAL NOTES



Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Date Located: 8/11/92
By: JA MOYER - ECHAVES
Monument Description: REBAR W/ CAP 1" ROW PIN
Monument Witnesses: _____

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Date Located: 8/11/92
By: JR MOYER - ECHAINES
Monument Description: AERAR MAG Nail w/co TAG
Monument Witnesses: SE CORNER OF 16" SQ CONC. FCP NW JS-10 ✓
CENTER OF A RA BAIL FCP E 17.07'
SET NAIL IN BOTTLE CAP IN NE FACE OF PIONEER WNW JS-10.
 " " " " " " " "
 PP NNW 40.3N ✓

[illegible]



Field Book: _____ Page: _____

Field Book: 60 Page: 3

Field Book: _____ Page: _____

Field Book: _____ Page: _____

Field Book: _____ Page: _____


Field Book: _____ Page: _____

Field Book: 6 Page: 2

Field Book: 6 Page: 4

Field Book: _____ Page: _____

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There is no handwriting or other markings on the paper.



E (CENTER OF SECTION)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

F (EAST QUARTER CORNER)

Date Located: 4/23/18
By: SJAM
Monument Description: FO RR SPIKE 3" DEEP
Monument Witnesses: NAIL IN B. CAP POWER POLE NW 23.22'
FACE 10' x 12" CONC FCP E 20.4'
NAIL IN B. CAP. TELPHONE SW 47.75'

Field Book: 9 Page: 45

A (NORTHWEST CORNER)

Date Located: 2/14/17
By: SJM
Monument Description: FO HARRISON MONUMENT
Monument Witnesses: SEE Pg 58 "G"

Field Book: 6 Page: 2

G (SOUTHWEST CORNER)

Date Located: 2/14/17
By: DRM
Monument Description: FO HARRISON MONUMENT
Monument Witnesses: SEE Pg 62 "I"

Field Book: 6 Page: 4

B (NORTH QUARTER CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

H (SOUTH QUARTER CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

C (NORTHEAST CORNER)

Date Located: 5/18/17
By: SEM
Monument Description: FG BRONZE MONUMENT 3" DEEP
Monument Witnesses: SEE Pg 75 "G"

Field Book: 7 Page: 9

I (SOUTHEAST CORNER)

Date Located: 4/24/18
By: SEM
Monument Description: FO BRONZE MONUMENT FLUSH
Monument Witnesses: NAIL IN B. CAP POWER POLE WNW 80.69'
SE CORNER BRIDGE BEAM POST NW 42.25'
NAIL IN B. CAP TEL BOX POST ESE 24.96'
NAIL IN B. CAP POWER POLE SSW 60.35'
Field Book: 9 Page: 44


D (WEST QUARTER CORNER)

Date Located: 2/14/17
By: JRM
Monument Description: FO HARRISON MONUMENT
Monument Witnesses: SEE PG 62 "F"

Field Book: 6 Page: 3

ADDITIONAL NOTES

Franklin
25-31-4



A (NORTHWEST CORNER)

Date Located: 2/14/17
By: DEM
Monument Description: FD HARRISON MONUMENT
Monument Witnesses: SEE Pg 62 "I"

Field Book: 6 Page: 4

B (NORTH QUARTER CORNER)

Date Located: 9/18/19
By: DEM MNH
Monument Description: FD 3/4" IRON PIPE
Monument Witnesses: RR RAIL FCP N 18.05'
NAIL IN B. CAP POWER POLE NE 54.40'
1/2" REBAR W/CAP SE 23.42'

Field Book: 17 Page: 36

C (NORTHEAST CORNER)

Date Located: 4/23/18
By: DEM
Monument Description: FD BRONZE MONUMENT FLUSH
Monument Witnesses: NAIL IN B. CAP POWER POLE WNW 30.69'
SE CORNER BRIDGE BEAM POST NW 42.25'
NAIL IN B. CAP TEL BOX POST ESE 24.96'
NAIL IN B. CAP POWER POLE SSW 40.35'

Field Book: 9 Page: 44

D (WEST QUARTER CORNER)

Date Located: 2/14/17
By: DEM
Monument Description: FD HARRISON MONUMENT
Monument Witnesses: 1/2" REBAR FCP SW 26.0'

Field Book: 6 Page: 5

E (CENTER OF SECTION)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

F (EAST QUARTER CORNER)

Date Located: 5/7/18
By: DEM
Monument Description: FD RR SPIKE 5" DEEP
Monument Witnesses: 1/2" REBAR FCP W 21.05'
NAIL IN B. CAP REMC POLE W 13.89'
1/2" REBAR W/CAP SE 34.93'

Field Book: 9 Page: 58

G (SOUTHWEST CORNER)

Date Located: 2/14/17
By: DEM
Monument Description: FD HARRISON MONUMENT
Monument Witnesses: NAIL IN TAG P. POLE NE 79.50'
NAIL IN TAG P. POLE ESE 65.00'
1/2" REBAR FCP ESE 38.52'
NAIL IN TAG IN POWER POLE WSW 65.87'

Field Book: 6 Page: 6

H (SOUTH QUARTER CORNER)

Date Located: 9/19/19
By: DEM MOYER
Monument Description: MAG NAIL W/CAP TAG
Monument Witnesses: 1/2" REBAR W/CAP NW 36.20'
1/2" REBAR FCP S 19.42'
1/2" REBAR W/CAP SW 39.43'


Field Book: 17 Page: 19

I (SOUTHEAST CORNER)

Date Located: 5/7/18
By: DEM
Monument Description: FD BRONZE MARKER
Monument Witnesses: 1/2" REBAR FCP WNW 44.5'
NAIL IN B. CAP POWER POLE NNW 64.65'
NAIL IN B. CAP POWER POLE SSW 76.30'
NAIL IN B. CAP POWER POLE SW 50.11'

Field Book: 9 Page: 57

ADDITIONAL NOTES



A (NORTHWEST CORNER)

Date Located: 9/18/19
By: SEM MWH
Monument Description: FO BRONZE NAIL
Monument Witnesses: NAIL IN B. CAP POWER POLE NW 39.70'
6" DIA STEEL FCP WSW 34.65'
RR RAIL FCP ESE 36.35'

Field Book: 17 Page: 36

B (NORTH QUARTER CORNER)

Date Located: 9/18/19
By: SEM MWH
Monument Description: FO 3/4" IRON PIPE
Monument Witnesses: RR RAIL FCP N 25.55'
1/2" REBAR W/CAP SE 21.11'
1/2" REBAR W/CAP SW 26.80'

Field Book: 17 Page: 37

C (NORTHEAST CORNER)

Date Located: 2/14/17
By: SEM
Monument Description: FO HARRISON MONUMENT
Monument Witnesses: SEE Pg 62 "I"

Field Book: 6 Page: 4

D (WEST QUARTER CORNER)

Date Located: 9/18/19
By: SEM MWH
Monument Description: FO RR SPIKE
Monument Witnesses: RR RAIL FCP W 13.42'
NAIL IN B. CAP POWER POLE ENE 16.42'
1/2" REBAR W/CAP SE 24.85'

Field Book: 17 Page: 39

E (CENTER OF SECTION)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

F (EAST QUARTER CORNER)

Date Located: 2/14/17
By: SEM
Monument Description: FO HARRISON MONUMENT
Monument Witnesses: RR RAIL FCP SW 26.0'

Field Book: 6 Page: 5

G (SOUTHWEST CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

H (SOUTH QUARTER CORNER)

Date Located: 9/19/19
By: SEM MOYER
Monument Description: MAG NAIL W/ CO TAG
Monument Witnesses: 3" DIA STEEL FCP NW 29.47'
RR RAIL FCP N 21.45'
3" DIA STEEL FCP SE 38.16'

Field Book: 17 Page: 18


I (SOUTHEAST CORNER)

Date Located: 2/14/17
By: SEM
Monument Description: FO HARRISON MONUMENT
Monument Witnesses: SEE Pg 64 "G"

Field Book: 6 Page: 6

ADDITIONAL NOTES

Franklin
27-31-4



A (NORTHWEST CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: SEE SW 22-31-4
PG 61 "S"

Field Book: _____ Page: _____

B (NORTH QUARTER CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

C (NORTHEAST CORNER)

Date Located: 9/18/19
By: DEM MWH
Monument Description: FO BRONZE MONUMENT
Monument Witnesses: SEE PG 65 "A"

Field Book: 17 Page: 38

D (WEST QUARTER CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

E (CENTER OF SECTION)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

F (EAST QUARTER CORNER)

Date Located: 9/18/19
By: DEM MWH
Monument Description: FO RR SPIKE
Monument Witnesses: SEE PG 65 "D"

Field Book: 17 Page: 39

G (SOUTHWEST CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: SEE NW 34-31-4
PG 67 "A"

Field Book: _____ Page: _____

H (SOUTH QUARTER CORNER)

Date Located: 9/19/19
By: DEMOVER
Monument Description: FO RR SPIKE
Monument Witnesses: SEE PG 67 "B"

Field Book: 17 Page: 17


I (SOUTHEAST CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

ADDITIONAL NOTES

FRANKLIN TWP PT 135 SW CORNER SECTION 35-31-4



A (NORTHWEST CORNER)

Date Located: 8/11/92
 By: JR MOYER - EC HAINES
 Monument Description: RA SPIKE
 Monument Witnesses: SW CORNER OF A RR RAIL FCP NNE 50.01
SW CORNER OF A RR RAIL FCP ENE 47.94
SET NAIL IN BOTTLE CAP IN N. FACE OF PP SW 37.00

Field Book: 2 Page: 39 UPDATED 6/25/18 JRM

B (NORTH QUARTER CORNER)

Date Located: 9/9/19
 By: JRM
 Monument Description: FO RR SPIKE
 Monument Witnesses: 1/2" REBAR W/CAP NE 29.37'
1/2" REBAR W/CAP SE 55.04'
NAIL IN B. CAP POWER POLE WSW 62.15

Field Book: 17 Page: 17

C (NORTHEAST CORNER)

Date Located: _____
 By: _____
 Monument Description: _____
 Monument Witnesses: _____

Field Book: _____ Page: _____

D (WEST QUARTER CORNER)

Date Located: 8/11/92
 By: JR MOYER - EC HAINES
 Monument Description: RA SPIKE
 Monument Witnesses: CENTER OF RR RAIL FCP NNE 25.1
SW CORNER OF 8" THICK OF 4'x4' CONC. FCP E 15.00
SE " " " " " " " " W 15.90

Field Book: 2 Page: 39 UPDATED 6/25/18 JRM

E (CENTER OF SECTION)

Date Located: _____
 By: _____
 Monument Description: _____
 Monument Witnesses: _____

Field Book: _____ Page: _____

F (EAST QUARTER CORNER)

Date Located: 9/9/19
 By: JRM
 Monument Description: FO 5/8" REBAR
 Monument Witnesses: 1/2" REBAR W/CAP NW 33.48'
1/2" REBAR W/CAP NE 34.70'
RR RAIL FCP W 20.80'

Field Book: 17 Page: 16

G (SOUTHWEST CORNER)

Date Located: 8/11/92
 By: JR MOYER - EC HAINES
 Monument Description: RA SPIKE
 Monument Witnesses: SW CORNER OF THE CHURCH FOUND. NE 49.95
FO 1/2" REBAR IN PAVEMENT E 8.64
SET NAIL IN BOTTLE CAP IN NE FACE OF PP WNW 36.08 41.13
" " " " " " " " NW " " " " NNE 74.86 74.53

Field Book: 2 Page: 38 UPDATED 6/25/18 JRM

H (SOUTH QUARTER CORNER)

Date Located: 2/27/19
 By: JRM
 Monument Description: RR SPIKE
 Monument Witnesses: MAG NAIL IN POWER POLE WNW 92.6
1/2" REBAR W/CAP ENE 47.02'
1/2" REBAR W/CAP ESE 45.53'

Field Book: 12 Page: 14


I (SOUTHEAST CORNER)

Date Located: 2/27/19
 By: JRM
 Monument Description: 3/4" IRON PIN
 Monument Witnesses: NAIL IN B. CAP POWER POLE WNW 43.97
NAIL IN B. CAP POWER POLE NNW 72.68

Field Book: 12 Page: 13

ADDITIONAL NOTES

Franklin
35-31-4



A (NORTHWEST CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

B (NORTH QUARTER CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

C (NORTHEAST CORNER)

Date Located: 2/14/17
By: SRM
Monument Description: FO HARRISON MONUMENT
Monument Witnesses: SEE Pg 64 "G"

Field Book: 6 Page: 6

D (WEST QUARTER CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

E (CENTER OF SECTION)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

F (EAST QUARTER CORNER)

Date Located: 2/14/17
By: SRM
Monument Description: FO HARRISON MONUMENT
Monument Witnesses: NAIL IN TAG P POLE WNW 72.09'
NAIL IN TAG POWER POLE SE 31.48'
1/2" REBAR W/CAP SW 40.23'

Field Book: 6 Page: 7

G (SOUTHWEST CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

H (SOUTH QUARTER CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____


Field Book: _____ Page: _____

I (SOUTHEAST CORNER)

Date Located: 2/14/17
By: SRM
Monument Description: FO HARRISON MONUMENT
Monument Witnesses: NAIL IN TAG P POLE NNE 60.08'
NAIL IN TAG POWER POLE ENE 77.78'
1/2" REBAR W/CAP SE 28.55'
HARRISON MONUMENT W 30.36'

Field Book: 6 Page: 8

ADDITIONAL NOTES



E (CENTER OF SECTION)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

F (EAST QUARTER CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____


Field Book: _____ Page: _____

A (NORTHWEST CORNER)

Date Located: 2/14/17
By: SRM
Monument Description: FO HARRISON MONUMENT
Monument Witnesses: SEE Pg 64 "G"

G (SOUTHWEST CORNER)


Date Located: 2/14/17
By: SRM
Monument Description: FO HARRISON MONUMENT
Monument Witnesses: SEE Pg 68 "I"



RS-30457-A
SCE
4/24/12

SW Cor SEC 36; T31N, R4E 2nd P.M.
(G-24) #90003 - 5/8" Rebar Fnd -0.10'
N: 2126436.00
E: 225841.95
① → 60.85' (R 60.88')
② → 58.80'
③ → 20.66' (R 20.58')

NW Cor Sec 1; T30N, R4E 2nd P.M.
(G-24) #90002 - RRSPK FND -0.10'
N: 2126435.16
E: 225811.57
① → 34.17' (R 34.17')
② → 31.65'
③ → 42.60' (R 42.51')



Date Located: 2/14/17
By: SEM
Monument Description: FO HARRISON MONUMENT
Monument Witnesses: SEE PG 64 "G"

Field Book: 6 Page: 6

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

Date Located: 2/14/17
By: JRM
Monument Description: FO HARRISON MONUMENT
Monument Witnesses: SEE Pg 68 "F"

Field Book: 6 Page: 7

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

Date Located: 2/4/17
By: SEM
Monument Description: ED HARRISON MONUMENT
Monument Witnesses: SEE PG 68 "I"

Field Book: 6 Page: 8

Date Located: 9/8/17
By: JRM
Monument Description: 60 2" DIA IRON PIPE 3" DEEP
Monument Witnesses: PK NAIL IN ROAD W/ 73.07'
NAIL IN E CAP IN P POLE WNW 64.97'
E RR RAIL GATE POST NW 40.2'
1/2" REBAR W/ CAP NE 19.23'
1/2" RR RAIL FCP ESW 20.75'

Field Book: 7 Page: 66

Date Located: 9/18/17
By: SRM
Monument Description: BRONZE / COPPER MARKER
Monument Witnesses: SEE Pg 80 "G"

Field Book: 7 Page: 67

ADDITIONAL NOTES