

Property of KOSCIUSKO COUNTY
SURVEYORS OFFICE
Address 100 W CENTER ST
COURTHOUSE
Telephone WARSAW, IN 46580

This Book is manufactured using a paper made
from wood-free materials and is acid-free and
archive safe.

815260



SECTION CORNER FIELD BOOK 19

INDEX

STARTED JULY 2020

PRAIRIE S $\frac{1}{4}$ CORNER SECTION 5-33-5	1
PRAIRIE NW CORNER SECTION 4-33-5	2
SCOTT SE CORNER SECTION 32-34-5	3
SCOTT E $\frac{1}{4}$ CORNER SECTION 32-34-5	4
SCOTT CENTER OF SECTION 32-34-5	5
WAYNE N $\frac{1}{4}$ CORNER SECTION 9-32-6	6
SEWARD W $\frac{1}{4}$ CORNER SECTION 16-31-5	7
SEWARD W $\frac{1}{4}$ CORNER SECTION 23-31-5	8
SEWARD E $\frac{1}{4}$ CORNER SECTION 15-31-5	9
VANBUREN W $\frac{1}{4}$ CORNER SECTION 12-34-6	10
VANBUREN SW CORNER SECTION 22-34-6	11
HARRISON W $\frac{1}{4}$ CORNER SECTION 16-32-5	12
HARRISON E $\frac{1}{4}$ CORNER SECTION 16-32-5	13
HARRISON N $\frac{1}{4}$ CORNER SECTION 36-32-4	14
PRAIRIE S $\frac{1}{4}$ CORNER SECTION 32-33-5	15
CLAY N $\frac{1}{4}$ CORNER SECTION 3-31-6	16
WAYNE S $\frac{1}{4}$ CORNER SECTION 32-32-6	17
JACKON CENTER OF SECTION 33-31-7	18
MONROE CENTER OF SECTION 1-31-7	19
WASHINGTON S $\frac{1}{4}$ CORNER SECTION 35-32-7	20
WASHINGTON CENTER OF SECTION 28-32-7	21
MONROE N $\frac{1}{4}$ CORNER SECTION 5-31-7	22

JACKSON	SE CORNER SECTION	1-30-7	23
WAYNE	E $\frac{1}{4}$ CORNER SECTION	35-32-6	24
WAYNE	SE CORNER SECTION	35-32-6	25
MONROE	W $\frac{1}{4}$ CORNER SECTION	6-31-7	26
JACKSON	SW CORNER SECTION	10-30-7	27
JACKSON	W $\frac{1}{4}$ CORNER SECTION	6-30-7	28
WAYNE	SW CORNER SECTION	31-32-6	29
LAKE	E $\frac{1}{4}$ CORNER SECTION	12-30-6	30
WAYNE	CENTER OF SECTION	31-32-6	31
FRANKLIN	W $\frac{1}{4}$ CORNER SECTION	5-31-5	32
FRANKLIN	S $\frac{1}{4}$ CORNER SECTION	5-31-5	33
CLAY	W $\frac{1}{4}$ CORNER SECTION	28-31-6	34
CLAY	CENTER OF SECTION	17-31-6	35
CLAY	CENTER OF SECTION	9-31-6	36
CLAY	NW CORNER SECTION	27-31-6	37
CLAY	E $\frac{1}{4}$ CORNER SECTION	17-31-6	38
CLAY	NE CORNER SECTION	17-31-6	39
PRAIRIE	W $\frac{1}{4}$ CORNER SECTION	5-33-5	40
PRAIRIE	CENTER OF SECTION	5-33-5	41
WAYNE	CENTER OF SECTION	17-32-6	42
WAYNE	N $\frac{1}{4}$ CORNER SECTION	20-32-6	43
PRAIRIE	CENTER OF SECTION	18-33-5	44
PLAIN	S $\frac{1}{4}$ CORNER SECTION	22-33-6	45
CLAY	SW CORNER SECTION	2-31-6	46

WAYNE	CENTER OF SECTION	6-32-6	47
WAYNE	S $\frac{1}{4}$ CORNER SECTION	3-32-6	48
WAYNE	E $\frac{1}{4}$ CORNER SECTION	9-32-6	49
HARRISON	W $\frac{1}{4}$ CORNER SECTION	31-32-5	50
PRAIRIE	CENTER OF SECTION	23-33-5	51
PLAIN	S $\frac{1}{4}$ CORNER SECTION	13-33-6	52
PLAIN	CENTER OF SECTION	13-33-6	53
TURKEY CREEK	CENTER OF SECTION	7-34-7	54
TURKEY CREEK	W $\frac{1}{4}$ CORNER SECTION	7-34-7	55
PLAIN	E $\frac{1}{4}$ CORNER SECTION	34-33-6	56
PLAIN	CENTER OF SECTION	34-33-6	57
PLAIN	SE CORNER SECTION	26-33-6	58
PLAIN	CENTER OF SECTION	36-33-6	59
CLAY	NW CORNER SECTION	5-31-6	60
WAYNE	SW CORNER SECTION	36-32-5	61
SEWARD	SW CORNER SECTION	4-30-5	62
WAYNE	N $\frac{1}{4}$ CORNER SECTION	35-32-6	63
PRAIRIE	W $\frac{1}{4}$ CORNER SECTION	36-33-5	64
WAYNE	CENTER OF SECTION	26-32-5	65
WAYNE	SE CORNER SECTION	26-32-5	66
WAYNE	CENTER OF SECTION	29-32-6	67
WAYNE	CENTER OF SECTION	1-32-6	68

PRAIRIE	CENTER OF SECTION	24-33-5	69
PRAIRIE	CENTER OF SECTION	27-33-5	70


NAIL IN B. CAP TELEPHONE POLE	SW	18.66'
NAIL IN B. CAP POWER POLE	NE	78.66'
NAIL IN B. CAP POWER POLE	SSE	64.85'

WARRANTY DEED # 2020050472 MAY 13 2020

PRAIRIE 282

S 1/4 CORNER
SECTION 5-33-5
PRAIRIE TWP PT 30

7/15/20
DEMOYER
MW HUFFMAN



1/2" x 24" REBAR W/CAP	NE	54.54'
SE CORNER SECTION 32-34-5	E	42.22'
1/2" x 24" REBAR W/CAP	SE	55.76'
FO 1/2" REBAR NO CAP IN PAV	S	263.63'

ORIGINAL FIELD NOTE BOOK Pg 377 1834
 "INTERSECTED 67 LINKS W OF POST" 42.22'
 "WALKER" SURVEY MAY 25 1993 #93-09-0083

PRAIRIE 281

2




1/2" x 24" REBAR w/CAP	NE	15.73'
NAIL IN B. CAP WOOD FCP	E	12.62'
1/2" RR RAIL FCP	E	20.17'
1/2" x 24" REBAR w/CAP	SSE	19.59'
NW CORNER SECTION 4-33-5	W	42.22'

ORIGINAL FIELD NOTE BOOK Pg 377 1834
 "WALKER" SURVEY # 93-09-0083

SCOTT
335

3



FO MAG NAIL NO TAG	W	39.67'
1/2" x 24" REBAR w/CAP	NE	35.00'
NAIL IN BCAP POWER POLE	SSE	21.20'
1/2" RR RAIL FCP	S	20.20'

SCOTT 335

5




N

7/15/20

DEMOYER
MWHUFFMAN

CENTER OF SECTION
SECTION 32-34.5
SCOTT TWP PT 95




FO RR SPIKE
2" DEEP

FO 1/2" REBAR NO CAP IN FENCE ROW	W	49.6'
FO 1/2" REBAR NO CAP	ESE	5.45'
BOARDWALK	NW	5.8'

"KIMPEL" SURVEY FEB 7, 2007

WAYNE 531

6



SEWARD 360

7

W 1/4 CORNER
SECTION 16-31-5
SEWARD TWP PT 54

7/16/20

SR MOYER
MW LUFFMAN



WOODED
AREA

FIELD

x x

FIELD

WOODED
AREA

FO RR RAIL FCP


RAIL FO RSK MEK MAY 1999

1/2" x 24" REBAR W/CAP 7.8 TO E/P	NW	28.37'
1/2" x 24" REBAR W/CAP 12.8 TO E/P	NE	31.65'
SW CORNER AT BASE RR RAIL FCP	E	22.14'

CONTRACT RECORDED DEC 21 2017 # 2017120765

SEWARD 363


8



1/2" x 24" REBAR W/CAP 5.3' TO E/P	NW	32.90'
NAIL W B. CAP NIPSCO POLE 620/249	NE	35.85'
NE CORNER 12" SQ CONC FCP	WSW	23.18'

SEWARD 359

9



NAIL IN B. CAP TOP OF 3" WOOD POST	W	37.06'
1/2" x 24" REBAR w/CAP 9.6 TO E/P	NE	25.65'
NAIL IN B. CAP POWER POLE	E	20.00'


"KIMPEL" SURVEY AUG 23 2007 # 2007000013799

VAN BUREN 456

10

7/16/20
 REMOVED
 MWHUFFMAN
 N

W 1/4 CORNER
 SECTION 12-34-6
 VAN BUREN TWP PT 42



CR 300 E


FORD SPIKE
 4" DEEP

1/2" x 24" REBAR w/CAP S to E/P	NW	23.52'
NAIL IN B. CAP POWER POLE	SW	32.35'
6" I-BEAM FCP	E	20.0'

"WALKER" SURVEY MARCH 12 1999 #99-12-1440

VAN BUREN 466

11



1/2" x 24" REBAR w/CAP	WSW	27.01'
1/2" x 24" REBAR w/CAP	ENE	26.93'
1/2" x 24" REBAR w/CAP	SE	53.23'


HARRISON 115

12



7/16/20

DEMOYER
MWHUFFMAN

W 1/4 CORNER
SECTION 16-32-5
HARRISON TWP PT 72



1/2" CUT OFF 1/2" BURIED RR RAIL FCP	WSW	17.25'
12" SQ CONC FCP	NNW	248.7'
1/2" x 24" REBAR W/CAP	NE	25.50'
NAIL W B. CAP POWER POLE	SE	54.13'

HARRISON 115

13

E 1/4 CORNER
SECTION 16-32-5
HARRISON TWP PT 70

7/16/20

DEMOYER
MWHUFFMAN


1/2" x 24" REBAR W/CAP	NW	24.98'
NAIL IN B. CAP POWER POLE	NE	24.10'
1/2" AT TOP RR RAIL FCP	S	22.20'


HARRISON
102

14

N 1/4 CORNER
SECTION 36-32-4
HARRISON TWP PT 152

7/16/20

DR MOYER
MWHUFFMAN



FO RR SPIKE
7" DEEP

FO MAG NAIL NO TAG	ENE 1.15 N	6.10' E
FO 1/2" CAPPED REBAR	E	30.22'
NAIL IN B CAP POWER POLE	SSE	79.42'
1/2" X 24" REBAR W/CAP 15.8' TO E/P	SW	54.23'

"KIMPEL" SURVEY JUNE 29 2009 # 2009090903


PRAIRIE 309

15

S 1/4 CORNER
SECTION 32-33-5
PRAIRIE TWP PT 160

7/30/20

JR MOYER
MWHUFFMAN



NAIL IN BCAP POWER POLE	SSW	18.85'
1/2" x 24" REBAR w/CAP 7.8' to E/P	NE	28.32'
FB PK NAIL 3" DEEP (HELO)	E	125.00'
1/2" x 24" REBAR w/CAP 7.5' to E/P	SE	26.37'


"BROWER" SURVEY MAY 12 1975
 "MICHEL" SURVEY APRIL 17 2020

CLAY 3

16

8/6/20
 JR MOYER
 MWHUFFMAN

N 1/4 CORNER
 SECTION 3-31-6
 CLAY TWP PT 8




SET MAG NAIL
 w/ CO TAG

± RR RAIL FCP	N	17.3'
NAIL IN B CAP POWER POLE	NNE	16.11'
1/2" x 24" REBAR W/CAP 6.4' TO E/P	NE	33.56'
1/2" x 24" REBAR W/CAP	SE	36.60'

"WALKER" SURVEY APRIL 17 2020

WAYNE 554

17



EAST FACE RR RAIL FCP AT BASE	W	23.00'
1/2" x 24" REBAR W/CAP 11.4' TO E/P	NE	26.00'
NAIL IN B. CAP POWER POLE	SE	38.85'

SURVEY RECORD BOOK 2 (COPY) SEPT 23 1859
 "STONE" NOT FOUND

"WALKER" SURVEY SEPT 20 2000 # 2001010286

JACKSON
 159

18


CENTER OF SECTION
 SECTION 33-31-7
 JACKSON TWP PT 47

8/6/20

REMOVER
 MWHUFFMAN

N

FIELD



FO PK NAIL 3" DEEP
 REPLACED WITH
 RR SPIKE

1/2" x 24" REBAR w/CAP	11 4' TO E/P	NW	36.23'
1/2" x 24" REBAR w/CAP	9' TO E/P	ENE	19.75'
FO "WALKER" MAG NAIL		N	7.68'
NE CORNER RR RAIL FCP		W	19.40'

WARRANTY DEED # 2015061015

"WALKER" SURVEY JUNE 3 1993 93-09-0082

MONROE 218

19

CENTER OF SECTION
SECTION 1-31-7
MONROE TWP PT 15

8/13/20

SR MOYER
MW HUFFMAN

N

YARD

FIELD

CR 750 E

FO 1 1/2" IRON PIN
FLUSH

POWER POLE

E

1.5'

± RR RAIL FCP

E

34.7'

"WALKER" SURVEY NOV 1 2010 2010120032

WASHINGTON 515

20

S 1/4 CORNER
SECTION 35-32-7
WASHINGTON TWP P. 166

8/13/20

DR MOYER
MR HUFFMAN

N

FIELD

WOODED
AREA

FIELD

DRIVE

WHITLEY COUNTY


FO RR RAIL FCP

SE CORNER RR RAIL FCP	NW	39.08'
NAIL IN P. CAP NIPSCO POLE ⁶²² ₂₂₅	NNW	19.61'
1/2" x 24" REBAR w/CAP	S	19.83'

"MICHEL" SURVEY SEPT 26 2007
 "MICHEL" SURVEY OCT 2 2007

WASHINGTON 508

21



1/2" x 24" REBAR w/CAP	2.9' to E/P	WSW	34.74'
N FACE RR RAIL FCP		S	20.0'
1/2" x 24" REBAR w/CAP	11' to E/P	SE	25.83'

"RETZ" SURVEY APRIL 17 1979 BOOK 45 Pg 66
 "MICHEL" SURVEY NOV 8 2005 #200500018603

MONROE
 ZZZ


ZZ



8/20/20

SR MOYER
 MWHUFFMAN

N 1/4 CORNER
 SECTION 5-31-7
 MONROE TWP PT 4




FO 2" MAG NAIL NO TAG
 REPLACED WITH MAG NAIL
 w/ CO TAG

S. FACE CONC $\frac{P}{W}$ MONUMENT	N	38.68'
NAIL IN B. CAP NIPSCO POWER POLE	S	37.10'
$\frac{1}{2}$ " x 24" REBAR W/CAP 21.5' TO $\frac{E}{P}$	SW	57.16'
$\frac{1}{2}$ RR RAIL FCP TO $\frac{1}{2}$ RR RAIL FCP		80.05'

STATE ROAD PLANS

JACKSON 133

23



WAYNE 557

24

E 1/4 CORNER
SECTION 35-32-6
WAYNE TWP PT 179

8/28/20

DEMOYER
MWHUFFMAN

N

WOODED AREA

-----x-----x-----x

YARD

FO RR RAIL FCP

"MICHAL" SURVEY APRIL 28 2014


WARRANTY DEED JUNE 6 2015 #2015060344

1/2" x 24" REBAR W/CAP 6.4' TO E/P	NW	23.10'
1/2" x 24" REBAR W/CAP 7' TO E/P	NE	20.00'

SURVEY RECORD BOOK 2 (COPY) Pg 80
 WARRANTY DEED # 2001101439

WAYNE 557

25



E FACE RR RAIL FCP	W	21.4'
FO "McCrea" CAPPED IRON	E	19.9'
1/2" x 24" REBAR w/CAP 8' TO E/P	SW	27.00'

QUIT CLAIM DEEP #200700006984

MONROE
223

26

W 1/4 CORNER
SECTION 6-31-7
MONROE TWP R 26

8/28/20

SEMOYER
MWHUFFMAN

N

PACKERTON ROAD


FO RR SPIKE
6' DEEP
SET MAG NAIL
w/CO TAG OVER
2' WEST OF E

FO 1/2" REBAR 8" DEEP	NE	76.35'
FO 1/2" REBAR 14" DEEP	E	40.00'
SET NAIL W B. CAP TEL POLE	SE	59.47'

"LONG" SURVEY MAY 16, 1984 BOOK 75 Pg 44

JACKSON
142

27



FO RZ RAIL FCP @ P/W LINE E 556.2'

"BROWER" SURVEY CLAMP FILE T P₃ 11
SURVEY FIELD BOOK 8 P₃ 63 OCT 9, 1974

WAYNE
553

29

SW CORNER
SECTION 31-32-6
WAYNE TWP PT 196

9/3/20

REMOVED
MWHUFFMAN

Z

N

FIELD

ASPHALT DRIVE

PASTURE

FO RZ RAIL FCP
LEAVING EAST

$\frac{1}{2}$ " x 24" REBAR w/CAP 9.7 to E/P	SW	36.79'
$\frac{1}{2}$ " x 24" REBAR w/CAP 10.6 to E/P	SE	37.06'

WARRANTY DEED #2010100082

LAKE
205

30

9/3/20
REMOVED
MWHUFFMAN

N

FIELD

WOODED
AREA

0

0

POST

MAG

FO 3" MAG NAIL
FLUSH


REPLACED WITH
MAG NAIL w/CO TAG

FO 5/8" REBAR NO CAP	NW	40.50'
FO MAG NAIL "WALKER" TAG 6" DEEP	E	26.84'
FO 1/2" REBAR NO CAP 8" DEEP	E	1306.85'
1/2" x 24" REBAR w/ CO CAP	SE	37.20'
± RR TRACKS	W	7.44'
1/2" x 24" REBAR w/ CO CAP S' TO E/P	SW	59.47'

"MICHEL" SURVEY OCT 30 2009

WAYNE 553

31



FD 5/8" DEBAR NO CAP	W	20.00'
W FACE RR RAIL FCP	E	19.15'
NAIL IN B. CAP POWER POLE	E	21.88'
NW EDGE RR RAIL FCP	SE	30.80'


"MICHEL" SURVEY MAY 13, 2011 #2011061029

FRANKLIN
70

32

9/10/20
JRMoyer
MW HUFFMAN

W 1/4 CORNER
SECTION 5-31-5
FRANKLIN TWP PT 14




1/2" x 24" REBAR w/CAP 6.5' TO E/P	NW	27.65'
1/2" x 24" REBAR w/CAP 5.7' TO E/P	NE	24.90'
N FACE RR RAIL FCP	S	20.00'

"MICHEL" SURVEY MAY 13 2011 2011061030

FRANKLIN 70

33



NAIL IN B. CAP POWER POLE	SW	39.58'
W FACE RR RAIL FCP	E	18.5'
1/2" x 24" REBAR w/CAP 2' TO E/P	SE	29.08'

"KYLER" SURVEY OCT 23 2007 #2007000015959

CLAY 28

34

9/10/20
REMOVED
MWHUFFMAN

N

FIELD

FIELD

+

CE 200

FO 3" PK Nail
1.7' E OF E

REPLACED WITH
MAG NAIL w/CO TAG

CENTER OF SECTION
SECTION 17-31-6
CLAY TWP PT 75

9/10/20

SEMOYER
MWHUFFMAN

Z

N

FIELD

WOODED

AREA

FOUR RAIL FCP
AT FENCE INTERSECTION

"WALKER" SURVEY OCT 2 1993 #94-02-0628

14" DIA WALNUT TREE

N

3.3'

"WALKER" SURVEY MAY 26 2000

CLAY 9

36

CENTER OF SECTION
SECTION 9-31-6
CLAY TWP RT 47

9/10/20

REMOVED
MWHUFFMAN



WOODED



MOBILE
HOME

AREA


FO RR RAIL FCP

FD NAIL IN B. CAP POWER POLE	NNE	43.85'
FD NAIL IN B. CAP POWER POLE	ENE	43.83'
NAIL IN B. CAP TEL POLE	SW	25.21'

SEE FIELD BOOK 1 Pg 3 JUNE 1989

CLAY 27

37




SE1 EDGE RR RAIL FCP	WNW	25.36'
NAIL IN B. CAP POWER POLE	NNE	57.70'
WEST FACE RR RAIL FCP	E	19.03'

SEE FIELD BOOK 1 Pg 9 JULY 1989

CLAY 17

38



FO 1" CUT IN RR RAIL FCP	W	18.12'
NAIL IN B. CAP POWER POLE	NE	46.95'
1/2" x 24" REBAR W/CAP 6' TO 5/P	SW	28.11'


SEE FIELD BOOK 1 Pg 9 JULY 1989


CLAY 17

39

9/10/20
DEMOYER
MWHUFFMAN

NE CORNER
SECTION 17-31-6
CLAY TWP PT 57





CENTER OF SECTION
SECTION 5-33-5
PRAIRIE TWP PT 23

9/14/20


DEMOYER

N

PASTURE

FIELD

FD RR RAIL FCP
IN CONC




± RR TRACKS	E	33.4'
5" SQ CONC FCP	S	1.85'

"RETZ" SURVEY BOOK 59 Pg 74 JULY 1980

WAYNE 539

42



WAYNE 542

43


N 1/4 CORNER
SECTION 20-32-6
WAYNE TWP RT 103

9/23/20

SR MOYER
MWHUFFMAN

N

WOODED AREA



FO "KIMPEL"
CAPPED IRON
IN DITCH

"KIMPEL" SURVEY SEPT 25 1997 # 1997101563

FO 1/2" REBAR NO CAP	N	390.00'
FO 1/2" REBAR NO CAP	N	690.00'

"KEMPER" SURVEY FEB 24, 2005 #200512141

PRAIRIE 295


44



10/1/20

DE MOYER
M.W. HUFFMAN

CENTER OF SECTION
SECTION 18-33-5
PRAIRIE TWP PT 77



SET 1/2" x 24' REBAR
w/CAP

36" DIA OAK TREE

S

18.5'

DEED RECORD # 2020040609

PLAIN 263

45


1/4 CORNER
SECTION 22-33-6
PLAIN TWP PT 112

10/1/20

DR MOYER
M W HUFFMAN



N



FD RR RAIL FCP

CLAY 2


46

SW CORNER
SECTION 2-31-6
CLAY TWP RT 35

10/1/20

REMOVED
MWHUFFMAN

N



"WALKED" SURVEY JULY 2002 #2002121555

CENTER OF SECTION
SECTION 6-32-6
WAYNE TWP PT 28

10/1/20

REMOVED
M.W. HUFFMAN



N

RIVERVIEW
ADDITION

LOT 13

WOODED AREA

FO "MCCREA"
CAPPED IRON
FLUSH

RIVERVIEW ADDITION PLAT BOOK 4 P 59 1954

WAYNE 525

48

S $\frac{1}{4}$ CORNER
SECTION 3-32-6
WAYNE TWP PT 43

10/1/20

JR MOYER
MW HUFFMAN

N

WOODED

WETLAND

LOT 18

PATTERSON PLACE
PLAT BOOK 9 P. 46

FO $\frac{1}{2}$ " REBAR
NO CAP

SECTION CORNER FIELD BOOK 2 P. 35 1992

WARRANTY DEED # 2017030773


FR "KIMPEL" CAPPED IRON	1.1' TO B/W	NW	62.61'
NAIL IN B CAP NIPSCO POLE	631/347	ESE	23.94'
1/2" x 24" REBAR W/CAP		W	22.35'
FO 3/4" IRON PIPE FLUSH		W	218.0'

"McCREA" SURVEY APRIL 19 2012 # 2012050595

WAYNE 531

49

E 1/4 CORNER
SECTION 9-32-6
WAYNE TWP PT 55



W 1/4 CORNER
SECTION 31-32-5
HARRISON TWP R 173

10/8/20

DR MOYER
MW HUFFMAN

2

2

FIELD

FENCE X

WOODED
AREA

FD RR RAIL FCP

DEED RECORD #2013020392

"MICHEL" SURVEY APRIL 2002 #2002061455

PRAIRIE 300


51

10/8/20

SR MOYER
MW HUFFMAN

CENTER OF SECTION
SECTION 23-33-5
PRAIRIE TWP PT 195

N




FOR RAIL FCP
AT FENCE WSECTION

"MEK" 7/12/99 FO RAIL POST

PLAIN 254

52

S $\frac{1}{4}$ CORNER
SECTION 13-33-6
PLAIN TWP PT 90




WARRANTY DEED #2013090924
"HUFFMAN" SURVEY SEPT 2013 #2013100381

FO 4" DIAMOND-SHAPED FENCE POST E 1.5'

"HUFFMAN" SURVEY SEPT 2013 # 2013100381

PLAIN 254

53



CENTER OF SECTION
SECTION 7-34.7
TURKEY CREEK TWP R 51

10/14/20

SEMOYER
MWHUFFMAN



N

FOX RUN HEIGHT

"BLOCK A"


FIELD

KERNS CROSSING

LOT # 21

FD 5/8" REBAR
NO CAP
FLUSH

FOX RUN HEIGHT PLAT BOOK 10 Pg 56
KERNS CROSSING PLAT BOOK 13 Pg 24



32" Dia WALNUT TREE

NE

"WALKER" SURVEY JULY 3 2001 #2001080924

PLAIN 275

56


E 1/4 CORNER
SECTION 34-33-6
PLAIN TWP PT 148

10/15/20

REMOVED
MWHUFFMAN



N



FO 2 1/2" x 4"
I-BEAM FCP

PLAIN 275

57

CENTER OF SECTION
SECTION 34-33-6
PLAIN TWP PT 149

10/15/20

DR MOYER
MWHUFFMAN



WETLANDS

WETLANDS

FO RR RAIL FCP


"WALKER" SURVEY FEB 12 1996 #1996040675

$\frac{1}{2}$ " x 24" REBAR w/CAP	SW	23.21'
$\frac{1}{2}$ " x 24" REBAR w/CAP	SE	24.49'
BETWEEN REBARS		33.56'

FIRST ADDITION IRVINE'S PARK PLAT BOOK 3 Pg 277
 QUITCLAIM DEED #2008009660 PARCEL 4 TRACT II

PLAIN 267

58



PLAIN 277

59

CENTER OF SECTION
SECTION 36-33-6
PLAIN TWP PT 145

10/22/20

SR MOVER
MW HUFFMAN



N

WOODED
AREA



FIELD

FO RR RAIL FCP
BROKEN OFF FLUSH
IN CONIC

"WALKER" SURVEY MARCH 1993 #93-08-0429

CLAY 5

60

NW CORNER
SECTION 5-31-6
CLAY TWP R-3

10/22/20

SR MOYER
MW HUFFMAN

2

N

FIELD

x x x x x

FIELD

RR RAIL FCP

WAYNE 522

61

SW CORNER
SECTION 36-32-5
WAYNE TWP PT 206

10/22/20

REMOVER
MWHUFFMAN



N

x

WOODED* AREA



FIELD

RR RAIL FCP


6" SQ CONC FCP	S FACE	N	19.4'
1/2" x 24" REBAR w/CAP	8.4' TO E/P	NE	43.35'
1/2" x 24" REBAR w/CAP	9.7' TO E/P	SE	45.26'
NAIL IN B. CAP REMC POLE	4293	WSW	39.06'

SEWARD
340

62

11/5/20
JR MOYER
MWHUFFMAN

SW CORNER
SECTION 4-30-5
SEWARD TWP PT 126



FD 5/8" PIN
IN CONC FLUSH


RECENTLY SET BY
STATE CONTRACTOR

WAYNE
557

63

N 1/4 CORNER
SECTION 35-32-6
WAYNE TWP PT 173

11/5/20
REMOVED
MWHUFFMAN
N



12" SQ CONC MON W $\frac{5}{8}$ " PIN FLUSH S
 $\frac{1}{2}$ " REBAR NO CAP S

STATE HIGHWAY ROAD PLANS 1965
 "McCREA" SURVEY JULY 2015 #2016030867

PRAIRIE
 313

64

W $\frac{1}{4}$ CORNER
 SECTION 36-33-5
 PRAIRIE TWP PT 146


11/5/20
 SR MOYER
 M/W HUFFMAN

N

US 30

EAST BOUND LANE

SET $\frac{1}{2}$ " x 24"
 REBAR W/CAP
 13.4' TO E/P



WAYNE 123

65

CENTER OF SECTION
SECTION 26-32-5
WAYNE TWP PT 160

11/12/20

SR MOYER
M W HUFFMAN



N

WOODED AREA



WOODED

FO STONE
AT FENCE
INTERSECTION

QUIT CLAIM DEED APRIL 13 2010 # 2010040522
SURVEY RECORD BOOK 4 Pg 6 FEB 1886

WAYNE
123

66

SE CORNER
SECTION 26-32-5
WAYNE TWP PT 162

11/12/20

DR MOYER
MWHUFFMAN

N

WOODED

AREA

FIELD

FO RR RAIL FCP


"LONG" SURVEY OCT 8 1994 # 1995030656

FO 2 1/2" DIA STEEL FCP	W	431.98'
FO "WALKER" CAPPED IRON IN FENCE	E	515.59'

"WALKER" SURVEY JAN 23 1998 1998111289

WAYNE 551

67



WAYNE 523


68

CENTER OF SECTION
SECTION 1-32-6
WAYNE TWP PT 18

11/12/20

DR MOYER
MWHUFFMAN

N




FO RR RAIL
FCP

FO STONE IN
CONC BASE
0.8' SOUTH

SURVEY RECORD BOOK 3 Pg 9 MAY 18 1891 "STONE"

SURVEY RECORD BOOK 4 Pg 13 MARCH 17 1909 "STONE"

"MICHEL" SURVEY OCT 16 2007 #200700014906



CENTER OF SECTION
SECTION 24-33-5
PRAIRIE TWP PT 93

"BROWER" SURVEY MAY 2 1983 Book 67 Pg 8

PRAIRIE 304


70

CENTER OF SECTION
SECTION 27-33-5
PRAIRIE TWP RT 123

11/18/20
SEMOYER



FIELD



WOODED AREA

FO RR RAIL FCP

"WALKED" SURVEY NOV 18 1992 #1993020725

HARRISON
121

71

CENTER OF SECTION
SECTION 22-32-5
HARRISON TWP 12 101

4/7/21

DR MOYER
M/W HUFFMAN

N

FIELD

PASTURE

x

x

x

x

PASTURE

RR RAIL FCP

"KEMPER" SURVEY #2000101357

"WARD" SURVEY 10/12/1999 #2000070813

HARRISON
111

72

E 1/4 CORNER
SECTION 10-32-5
HARRISON TWP R 37

4/7/21

SR MOYER
MWHUFFMAN

N

AREA

WOODED

x x x x x x x

FIELD

RR RAIL FCP

WARRANTY DEED # 2016080430

NAIL IN B. CAP NIPSCO POLE G38/992 NNW 86.50'
 1/2" x 24" REBAR W/CAP 4.6 TO E/P SE 39.61'
 1/2" x 24" REBAR W/CAP 4.6 TO FENCE SW 38.68'
 NEAREST EDGE RR RAIL FCP WSW 34.67'
 APRIL 27 2021 SET MAG NAIL W/CO TAG FROM
 WITNESSES, PAVEMENT RESURFACED DRM MWH
 FO CAPPED IRON 8" DEEP 4.5' TO E/P SW 32.04'


HELD
 "KIMPEL" SURVEY MARCH 9, 2007 # 2009090878

CLAY
20

73

4/7/21
 DR MOYER
 MWHUFFMAN

W 1/4 CORNER
 SECTION 20-31-6
 CLAY TWP PT 102




1.5' EAST OF E
 SET MAG NAIL
 WITH CO TAG
 WITH ASSISTANCE FROM
 KIMPEL & ASSOC

SET MAG NAIL W/ CO TAG 1.0' FROM EDGE SE 63.05'
 SET MAG NAIL W/ CO TAG IN ASPHALT SW 62.27'
 SOUTH EDGE OF CONC BRIDGE DECK S 55.8'

HELD
 "KIMPEL" SURVEY MARCH 9 2007 #2009090878

CLAY/20

74




SET MAG NAIL
 WITH CO TAG IN
 CONC BRIDGE
 DECK

WITH ASSISTANCE FROM
 KIMPEL & ASSOC

FRANKLIN
85

75

E 1/4 CORNER
SECTION 8-30-5
FRANKLIN TWP PT 15A



WARRANTY DEED 12/18/2018 # 2018121047

1/2" x 24" REBAR W/CAP 12.8' to E/P	NW	23.81'
FD "WALKER" CAPPED IRON	ENE	20.09'
NAIL IN B. CAP IN POWER POLE	SW	49.27'
1/2 RR RAIL FCP	W	20.75'


SEWARD
343

76

E 1/4 CORNER
SECTION 11-30-5
SEWARD TWP PT 138

4/7/21
REMOVER
MWHUFFMAN


N



1/2" x 24" REBAR w/CAP	8.2' to E/P	NW	39.80'
FD 1/2" REBAR NO CAP		E	19.72'
NAIL IN B CAP IN POWER POLE		WNW	22.87'

WAYNE
533


77



4/7/21

REMOVED
MWHUFFMAN

E 1/4 CORNER
SECTION 11-32-6
WAYNE TWP PT 51




NE CORNER
SECTION 22-33-6
PLAIN TWP PT 87



4/13/21

JR MOYER
MWHUFFMAN



FO 3"x5"
I-BEAM FCP

SURVEY RECORD BOOK 2 (COPY) Pg 352 JUNE 1869
"STONE" NOT FOUND 4/13/21