

SECTION CORNER FIELD BOOK 20

INDEX

STARTED APRIL 13, 2021

Property of KOSCIUSKO COUNTY
SURVEYORS OFFICE
 Address 100 W CENTER ST
COURTHOUSE
 Telephone WARSAW, IN 46580

This Book is manufactured using a paper made from wood-free materials and is acid-free and archive safe.

815260



WASHINGTON E ¹ / ₄ CORNER SECTION 16-32-7	1
WASHINGTON N ¹ / ₄ CORNER SECTION 21-32-7	2
FRANKLIN CENTER OF SECTION 17-31-5	3
SEWARD CENTER OF SECTION 9-31-5	4
SEWARD CENTER OF SECTION 4-31-5	5
HARRISON E ¹ / ₄ CORNER SECTION 21-32-5	6
HARRISON CENTER OF SECTION 27-32-5	7
HARRISON W ¹ / ₄ CORNER SECTION 27-32-5	8
CLAY E ¹ / ₄ CORNER SECTION 30-31-6	9
HARRISON W ¹ / ₄ CORNER SECTION 9-32-5	10
HARRISON SE CORNER SECTION 35-32-4	11
HARRISON CENTER OF SECTION 22-32-4	12
WASHINGTON CENTER OF SECTION 3-32-7	13
JEFFERSON N ¹ / ₄ CORNER SECTION 18-34-5	14
WAYNE W ¹ / ₄ CORNER SECTION 7-32-6	15
CLAY CENTER OF SECTION 19-31-6	16
JEFFERSON N ¹ / ₄ CORNER SECTION 24-34-5	17
FRANKLIN E ¹ / ₄ CORNER SECTION 13-31-4	18
FRANKLIN N ¹ / ₄ CORNER SECTION 18-30-5	19
FRANKLIN E ¹ / ₄ CORNER SECTION 30-31-5	20
FRANKLIN E ¹ / ₄ CORNER SECTION 31-31-5	21
FRANKLIN E ¹ / ₄ CORNER SECTION 19-31-5	22

VANBUREN N $\frac{1}{4}$ CORNER SECTION	27-34-6	23
TURKEY CREEK CENTER OF SECTION	16-34-7	24
TURKEY CREEK W $\frac{1}{4}$ CORNER SECTION	13-34-7	25
TURKEY CREEK CENTER OF SECTION	13-34-7	26
TURKEY CREEK CENTER OF SECTION	11-34-7	27
TURKEY CREEK CENTER OF SECTION	20-34-7	28
VANBUREN SE CORNER SECTION	11-34-6	29
TURKEY CREEK CENTER OF SECTION	17-34-7	30
VANBUREN SE CORNER SECTION	13-34-6	31
VANBUREN N $\frac{1}{4}$ CORNER SECTION	17-34-6	32
TURKEY CREEK CENTER OF SECTION	8-34-7	33
MONROE NW CORNER SECTION	16-31-7	34
MONROE E $\frac{1}{4}$ CORNER SECTION	5-31-7	35
PRAIRIE E $\frac{1}{4}$ CORNER SECTION	33-33-5	36
HARRISON SW CORNER SECTION	35-32-4	37
FRANKLIN N $\frac{1}{4}$ CORNER SECTION	1-31-4	38

WASHINGTON
496

1

E 1/4 CORNER
SECTION 16-32-7
WASHINGTON TWP RT 72

4/13/21

DEMOYER

MWHUFFMAN

N

FIELD

I

FIELD

FO RR RAIL FCP

"MICHEL" SURVEY JULY 16, 2008 #2008080381

1/2" x 24" REBAR w/CAP	NW	16.80'
1/2" x 24" REBAR w/CAP	WNW	11.78'
RR SPIKE & CR 150 S	S	1379.45'

"BROWER" SURVEY MAY 4 1973 FIELD BOOK 7 P 19


WASHINGTON
501

2

N 1/4 CORNER
SECTION 21-32-7
WASHINGTON TWP RT 84

4/13/21
REMOVER
M. W. HUFFMAN

N



SET 1/2" x 24"
REBAR w/CAP
AT THE CENTER
OF THE REMAINS
OF A WOOD FCP

FRANKLIN
74

3

CENTER OF SECTION
SECTION 17-31-5
FRANKLIN TWP PT 57

4/15/21

SR MOYER
MWHUFFMAN

N

FIELD

FIELD


FD RR RAIL FCP

1/2" x 24" REBAR w/CAP IN FENCE	N	20.65'
1/2" x 24" REBAR w/CAP	ENE	9.92'
NAIL IN B. CAP IN WOOD FCP	E	4.00'
4 RR RAIL FCP	W	12.1'

"WIGHTMAN-CRAMER" FEB 19, 1999 # 1999021098

SEWARD
353

4



SEWARD
352

5

CENTER OF SECTION
SECTION 4-31-5
SEWARD TWP PT 17

4/15/21

REMOVED
MWHUFFMAN

N

FIELD

FIELD

FD RR RAIL FCP

"MICHEL" SURVEY DEC 28, 2006 #200700001867

"MICHEL" SURVEY DEC 27, 2013 #20140106SS

HARRISON
120

6

E 1/4 CORNER
SECTION 21-32-5
HARRISON TWP PT 102

4/27/21

JR MOYER
MWHUFFMAN

N

FIELD

x x x x x

WOODED AREA

FOR RAIL FLP

HARRISON
124

7

CENTER OF SECTION
SECTION 27-32-5
HARRISON TWP RT 133

4/27/21
BRADY
M. W. HUFFMAN

N

FIELD

FIELD

FO RR RAIL FCP

"MICHEL" SURVEY JUNE 25 2010 # 2010070690

"MICHEL" SURVEY JUNE 25 2010 # 2010070690


HARRISON 124

8

W 1/4 CORNER
SECTION 27-32-S
HARRISON TWP PT 134

4/27/21
DE MOYER
MWHUFFMAN

N




EAST FACE 5" DIA STEEL FCP	W	35.13'
1/2" x 24" REBAR W/CAP 8.4' TO E/P	NE	31.41'
4 AT TOP LEAVING RR RAIL FCP	E	25.91'
NAIL IN B. CAP TEL POLE	SE	30.05'

"KIMPEL" SURVEY JULY 31 2001 #2001072044

CLAY
30

9



"KIMPEL" SURVEY DEC 5 2000 # 2001030853

"MC CREA" SURVEY NOV 16 2017

HARRISON
110

10

W 1/4 CORNER
SECTION 9-32-5
HARRISON TWP RT 41

5/5/21

DEMOYER
MWHUFFMAN

N

FENCE REMAINS

AREA

WOODED

FO "MC CREA"
CAPPED IRON
IN FENCE LINE
AT REMAINS OF OLD
WOOD FCP

FD "WALKER" MAG NAIL & TAG	N	618.75'
NAIL IN BOTTLE CAP POWER POLE	NNE	69.78'
NAIL IN B. CAP POWER POLE	NE	47.77'
FD MAG NAIL W/CO TAG N 1/4 COR SEC 6	E	270.52'
1/2" x 24" REBAR W/CAP	NW	41.65'


"MICHEL" SURVEY MAY 28 2013 * 2013091095

HARRISON
101

11

5/11/21
SR MOYER
MWHUFFMAN
N

SE CORNER
SECTION 35-32-4
HARRISON TWP PT 184




SET MAG NAIL W/CO TAG

MAG NAIL w/CO TAG IN ASPHALT	NNW	56.67'
MAG NAIL w/CO TAG IN ASPHALT	NNE	55.66'
4 1/2" MAG SPIKE 6' FROM E/P	NE	41.81'
NAIL IN B. CAP POWER POLE	E	61.74'
FO "WALKER" CAPPED IRON	E	49.38'

HARRISON
94

12




NAIL IN B. CAP NIPSCO POLE	624/487	NW	71.85'
1/2" x 24" REBAR W/CAP 28' TO E/P		NE	70.63'
1/2" x 24" REBAR W/CAP 20.6' TO E/P		SE	65.75'

"KIMPEL & ASSOC" SET MAG PER COUNTY SURVEYOR
INSTRUCTIONS - INTERSECTION OF 4 CORNERS

WASHINGTON
483

13



ERRAIL FCP

N

80.6'

"KIMPEL" SURVEY MARCH 23 2004 * 200400010179

JEFFERSON 180

14

N 1/4 CORNER
SECTION 18-34-5
JEFFERSON TWP PT 54

5/18/21

REMOVED
M/W HUFFMAN

N

DITCH

PASTURE

Field


FO 3/4" IRON PIN
FLUSH
IN FENCE

1/2" x 24" REBAR w/CAP 5.6 TO 3/4	NW	34.30'
FO "T" CUT IN CURB	NE	184.00'
MAG NAIL w/CO TAG 1.0' TO 3/4	NE	31.80'
FO "T" CUT IN CONC SIDEWALK	SE	120.39'

ORIGINAL FIELD NOTE BOOK Pg 332 - SOUTH LINE
OF CHELSEA'S RESERVE TO 1/4 SECTION POST 407.88'
CLARKE'S SUBDIVISION PLAT BOOK 10 Pg 18

WAYNE 529

15



1/2" x 24" REBAR W/CAP	NW	34.05'
1/2" x 24" REBAR W/CAP	NNE	33.00'
1/2" x 24" REBAR W/CAP	SW	15.30'

"WALKER" SURVEY 6/18/1999 NOT RECORDED

CLAY
19

16

CENTER OF SECTION
SECTION 19-31-6
CLAY TWP PT 103

5/25/21

JR MOYER
MWHUFFMAN

N

CALWELL LAKE DRIVE

YARD

SHED

WOODED
AREA

FO "WALKER" CAPPED
IRON AT THE BASE
OF A WOODEN FENCE
CORNER POST

RR RAIL POST

S

256'

CEMETERY WARRANTY DEED R 351 MAY 17, 1956

JEFFERSON
186

17

N 1/4 CORNER
SECTION 24-34-5
JEFFERSON TWP RT 90

5/25/21

DEMOYER
MINI HUFFMAN

N

FIELD

FIELD

FO RR RAIL FCP

256'

RAIL POST

ISLAND


CEMETERY

NE EDGE RR RAIL FCP	WSW	19.50'
FACE OF A 9" DIA CONC FCP	E	19.75'
1/2" x 24" REBAR W/CAP 5.4 TO E/P	SE	30.10'
NAIL IN B. CAP POWER POLE	SSW	60.72'
1/2" x 24" REBAR W/CAP 7.2 TO E/P	SW	31.40'

"WALKER" SURVEY MAY 3, 2000

FRANKLIN
58

18




SOUTH FACE 8" SQ CONG FCP	N	18.90'
NW EDGE RR RAIL FCP	SSW	21.13'
1/2" x 24" REBAR w/CAP S.T. TO E/P	SW	34.70'

"McCREA" SURVEY NOV 11, 2010 * 2011010143

FRANKLIN 87

19



FRANKLIN 79

20

E 1/4 CORNER
SECTION 30-31-5
FRANKLIN TWP PT 102

5/26/21

DR MOYER
MWHUFFMAN

N

FIELD

FIELD

FOR RAIL FCP


"WALKER" SURVEY MARCH 17 1993 # 1993090095

1/2" x 24"	REBAR W/CAP	3.4 TO E/P	NW	20.05'
FO 3" PK	NAIL	4" DEEP	NNE	9.15'
1/2" x 24"	REBAR W/CAP	3.9' TO E/P	NE	21.78'
1/2" x 24"	REBAR W/CAP	2.7' TO E/P	SW	20.58'

"WALKER" SURVEY OCT 6 1997 #1997110170

FRANKLIN 80

21



FRANKLIN
76

22

E 1/4 CORNER
SECTION 19-31-5
FRANKLIN TWP R-80

5/26/21

SR MOYER
MWHUFFMAN

N

FIELD

FIELD

FO RR RAIL FCP

"WALKER" SURVEY JUNE 19 2000 # 2000100829

VAN BUREN
471

23

N 1/4 CORNER
SECTION 27.34.6
VAN BUREN TWP FT HZ

6/1/21

DEMOYER
M/W HUFFMAN

2
4

1

FIELD

FD 12" SQ
CONC FCP

4" WELL

LIMESTONE
DRIVE

HOG
BUILDING


TRUSTEE'S DEED OCT 3, 2019 # 2019100169

NE CORNER NEW CONC DRIVEWAY	NNW	26.74'
NAIL IN B CAP NIPSCO POLE $\frac{1051}{620}$	E	35.03'
FO PK NAIL 2" DEEP	S	36.04'
NAIL IN B CAP NIPSCO POLE $\frac{1064}{379}$	SSW	71.37'

PLAT OF WOOD'S & MOORE'S ADD TO SOUTH PARK
 "MICHEL" SURVEY APRIL 30, 2007
 "MCCREA" SURVEY AUG 12, 2013 #2013090939

TURKEY CREEK 424

24




NAIL IN B. CAP NIPSCO POLE	541 923	NW	40.50'
SE CORNER BRICK PLANTER		NW	43.25'
FO PK NAIL		N	16.55'
FO PK NAIL IN TELEPHONE POLE		SE	49.82'
FO 3/4" REBAR		SE	18.96'

ENCHANTED HILLS SEC I PLAT BOOK 5 P. 120
 "WEAVER" SURVEY FEB 28, 1992

TURKEY CREEK
 421

25



ENCHANTED HILLS SEC I PLAT BOOK 5 Pg 120

TURKEY CREEK
421

26

CENTER OF SECTION
SECTION 13-34-7
TURKEY CREEK TWP R 67

6/9/21



SR MOYER
MW HUFFMAN

N

FIELD

LOT #289

FO RR RAIL FCP

NAIL IN B. CAP NIPSCO POLE ¹⁰⁶² ₃₄₂	NW	32.27'
1/2" x 24" REBAR w/CAP	NE	35.10'
1/2" x 24" REBAR w/CAP G TO E/P	SE	33.78'
FO MAG NAIL NO TAG FLUSH	E	254.45'
FO MAG NAIL NO TAG FLUSH	W	227.2'


"WALKER" SURVEY JULY 12, 2002 *2002121533

TURKEY CREEK 419

27

CENTER OF SECTION
SECTION 11-34-7
TURKEY CREEK TWP PT 43

6/9/21
REMOVER
MWHUFFMAN



WOODED
AREA

TEL
BOX

FO 3/4" REBAR
4" DEEP
SET MAG NAIL w/CO TAG
OVER TOP


1/2" x 24" REBAR w/CAP 6 to E/P	NE	28.24'
NAIL IN B. CAP POWER POLE	SE	28.40'
1/2" I-BEAM FCP	S	19.80'

"HUFFMAN" SURVEY APRIL 25, 2018 * 2018050960

TURKEY CREEK 428

28


CENTER OF SECTION
SECTION 20-34-7
TURKEY CREEK TWP R. 101



FO SMALL MAG NAIL
REPLACED WITH MAG NAIL
w/ CO TAG

"KIMPEL"	SURVEY	AUG 23 2007	200700013799
----------	--------	-------------	--------------

29




NAIL IN B. CAP NIPSCO POLE	65A 504	SSE	19.12'
1/2" x 24" REBAR W/CAP		E	11.70'
2" STEEL FCP CHAIN LINK FENCE		S	23.4'
CORNER CONC STATE B/W MONUMENT		SW	2.1'

WAWASEE	EXECUTIVE ESTATES PLAT BOOK 7 Pg 104	1979
DEER CREEK FIRESIDES	PLAT BOOK 8 Pg 53	1984
"WALKER"	SURVEY DEC 21, 2000	

TURKEY CREEK
425

30



VAN BUREN 457

31

SE CORNER
SECTION 13-34-6
VAN BUREN TWP R 91

6/15/21

DEMOYER
M W HUFFMAN

N

FIELD



WOODED

AREA

RR RAIL FCP

"KIMPEL" SURVEY APRIL 9 2007 # 200700008298

6" SQ CONC FCP	N	153.87'
5" DIA STEEL FCP ON DITCH BANK	S	38.27'

TRUCKY CREEK MODULAR HOME DEVELOPMENT 1973


"BROWER" SURVEY JAN 16, 1980

"HUFFMAN" SURVEY FEB 22, 2017 #2017100543

"WALKER" SURVEY JAN 7, 2005 #200500003183

VAN BUREN
461

32




1/2" x 24" REBAR w/ CAP 7.6' TO E/P	NE	52.29'
1/2" x 24" REBAR w/ CAP 8.5' TO B/W	SE	55.20'
NAIL IN B. CAP NIPSCO POLE 696/590	SW	42.47'

FAIRVIEW TERRACE ADDITION MARCH 1954 P.B. 4 P. 55
 HAWAIIAN VILLAGE ADDITION JULY 1962 P.B. 5 P. 147
 "HUFFMAN" SURVEY NOV 28, 2017

TURKEY CREEK
 416

33




FO " + " CUT IN RR RAIL FCP	ESE	50.44'
1/2" x 24" REBAR W/ CAP 7.4' TO E/P	SE	45.12'
FO " + " CUT IN RR RAIL FCP	SSE	47.45'
FO NAIL IN B. CAP POWER POLE	NW	31.00'
NAIL IN B. CAP POWER POLE	SSW	58.30'

THIS REPLACES FIELD BOOK 1 Pg 31 6/1991

MONROE
233

34




FO 1/2" x 19" REBAR W/CAP	NE	68.60'
SET 1/2" x 24" REBAR W/CAP 7.4 TO E/P	SE	44.87'
NAIL IN B. CAP POWER POLE	SSW	60.80'

THIS REPLACES FIELD BOOK 2 Pg 14 JULY 1992

MONROE
222

35




1/2" x 24" REBAR w/CAP	4.2' to E/P	WNW	39.91'
1/2" x 24" REBAR w/CAP	5' to E/P	E	29.75'
1/2" x 24" REBAR w/CAP	7' to E/P	SSE	54.81'

STATE HIGHWAY PLAN F-854
 WARRANTY DEED 223 Pg 41 1968

PRAIRIE
 310

36




FORR SPIKE 3" DEEP SW COR LOT 1	NE	67.58
MAG NAIL NO TAG	E	53.49
FO MAG NAIL "WALKER" TAG	SE	67.11
NE CORNER U.M. CHURCH	SW	48.00

BOWMAN'S ADDITION PLAT BOOK 2 Pg 163 1895

HARRISON
101

37



NAIL IN B. CAP NIPSCO POLE	$\frac{627}{547}$	WNW	53.27'
NAIL IN B. CAP NIPSCO POLE	$\frac{629}{233}$	ENE	83.53'
NW EDGE RR RAIL FCP		SE	61.71'

FRANKLIN
52

38

N 1/4 CORNER
SECTION 1-31-4
FRANKLIN TWP RT 6

