

## E (CENTER OF SECTION)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

## F (EAST QUARTER CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

## A (NORTHWEST CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

## G (SOUTHWEST CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: SEE PAGE 482 "E"  
(SEE COR. SEC. 2-32-7)

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

## B (NORTH QUARTER CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

## H (SOUTH QUARTER CORNER)

Date Located: 7/18/19  
By: SEM MNH  
Monument Description: 1/2" REBAR  
Monument Witnesses: SEE Pg 492 "B"

Field Book: 15 Page: 65

## C (NORTHEAST CORNER)

Date Located: 7/18/19  
By: SEM MNH  
Monument Description: 5/8" IRON PIN  
Monument Witnesses: RR RAIL FCP W 20.05'  
1/2" REBAR W/CAP NE 27.50'  
RR RAIL FCP E 20.68'

Field Book: 15 Page: 63

## I (SOUTHEAST CORNER)

Date Located: 7/18/19  
By: SEM MNH  
Monument Description: RR SPIKE  
Monument Witnesses: SEE Pg 492 "C"


Field Book: 15 Page: 64

## D (WEST QUARTER CORNER)

Date Located: 7/24/19  
By: SEM MNH  
Monument Description: 1" IRON PIPE  
Monument Witnesses: SEE Pg 482 "F"

Field Book: 16 Page: 1

## ADDITIONAL NOTES



A (NORTHWEST CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

B (NORTH QUARTER CORNER)

Date Located: 7/13/19  
By: SEM MNH  
Monument Description: RR SPIKE  
Monument Witnesses: 1/2" REBAR w/CAP NW 27.95'  
1/2" REBAR w/CAP SW 24.90'  
RR RAIL FCP

Field Book: 15 Page: 67

C (NORTHEAST CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

D (WEST QUARTER CORNER)

Date Located: 4/25/18  
By: SEM  
Monument Description: FO 3/4" IRON PIPE FLUSH  
Monument Witnesses: 4 RR RAIL FCP N 20.45'  
1/2" REBAR w/CAP NE 49.83'  
4 RR RAIL FCP S 23.15'

Field Book: 9 Page: 46

E (CENTER OF SECTION)

Date Located: 7/15/19  
By: JA MOYER - EC HAINES  
Monument Description: RR SPIKE  
Monument Witnesses: CENTER OF A RR RAIL FCP S 20.35'  
SET NAIL IN BOTTLE CAP IN SE FACE OF A P.P. NE 25.14'  
CENTER OF RR RAIL FCP TO CENTER OF RR RAIL FCP 41.35'  
1/2" REBAR w/CAP SE 25.40'  
1/2" REBAR w/CAP SW 27.83'

Field Book: 2 Page: 6 UPDATED 7/6/18 SRM

F (EAST QUARTER CORNER)

Date Located: 7/24/19  
By: SEM MNH  
Monument Description: 1" IRON PIPE  
Monument Witnesses: 2" IRON PIPE W 105'  
"WALKER" CAPPED IRON WNW 32'  
NAIL IN B. CAP POWER POLE WNW 33.04'

Field Book: 16 Page: 1

G (SOUTHWEST CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

H (SOUTH QUARTER CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

I (SOUTHEAST CORNER)

Date Located: 7/15/19  
By: JA MOYER - EC HAINES  
Monument Description: BLADE MARKER W/CAP  
Monument Witnesses: CENTER OF A RR RAIL FCP N 19.77'

Field Book: 2 Page: 5

ADDITIONAL NOTES

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Field Book: 20 Page: 13Field Book: 9 Page: 46

## Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

## Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

## Field Book: \_\_\_\_\_ Page: \_\_\_\_\_


Field Book: 15 Page: 31

Field Book: 15 Page: 69

## Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

Field Book: 15 Page: 30

## ADDITIONAL NOTES



E (CENTER OF SECTION)

Date Located: 6/1/16  
By: SR MOYER  
Monument Description: FD PK NAIL FLUSH  
Monument Witnesses: NEAREST COR RR RAIL FCP NW 46.78'  
OUTSIDE CORNER CONC HEADWALL NNW 40.6'  
NAIL IN B. CAP IN TEL POLE NE 58.32'  
NAIL IN B. CAP IN TEL POLE SE 39.06'  
NAIL IN B. CAP IN TEL POLE SW 51.42'  
Field Book: 3 Page: 71

F (EAST QUARTER CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

G (SOUTHWEST CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: SEE PAGE 488 "C"  
\_\_\_\_\_  
\_\_\_\_\_  
Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

A (NORTHWEST CORNER)

Date Located: 9/27/17  
By: SRM  
Monument Description: FO RR SPIKE FLUSH  
Monument Witnesses: NAIL IN B. CAP P. POLE SW 30.81'  
FO RR SPIKE IN RO & E 68.77'  
1/2" REBAR W/CAP SE 44.90'  
& RR RAIL FCP  
Field Book: 7 Page: 73

B (NORTH QUARTER CORNER)

Date Located: 6/1/16  
By: SR MOYER  
Monument Description: FO RR SPIKE 3" DEEP  
Monument Witnesses: NAIL IN B. CAP IN P. POLE NW 23.64'  
RR SPIKE 3" DEEP E 79.85'  
NAIL IN B. CAP IN ANCHOR POLE SSW 42.16'  
Field Book: 3 Page: 72

C (NORTHEAST CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

D (WEST QUARTER CORNER)

Date Located: 6/24/19  
By: JR MOYER - EC HAINES  
Monument Description: RR SPIKE  
Monument Witnesses: SOUTH FACE OF RR RAIL FCP N 19.32'  
NORTH FACE OF RR RAIL FCP S 19.49'  
SET 1/2" X 3/4" REBAR W/CAP SW 34.11'  
DISTANCE BETWEEN RR RAIL FCP 38.80'  
Field Book: 1 Page: 25 UPDATED 9/27/17 SRM

H (SOUTH QUARTER CORNER)


Date Located: 6/24/19  
By: JR MOYER - EC HAINES  
Monument Description: RR SPIKE FO MAG NAIL FLUSH  
Monument Witnesses: SET NAIL IN BOTTLE CAP IN NW FACE OF P. POLE NE 37.85'  
GONE SET "X" CUT IN SOUTH FACE IN RR RAIL FCP NW 28.42'  
SET 1/2" REBAR W/CAP 9.6' FROM E/P SE 25.90'  
Field Book: 1 Page: 25 UPDATED 6/1/16

I (SOUTHEAST CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

ADDITIONAL NOTES

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_



Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

Date Located: 9/27/17  
By: JEM  
Monument Description: FOUR SPIKE FLUSH  
Monument Witnesses: SEE P. 484 "A"

Field Book: 7 Page: 73

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: SEE PAGE 484 "D"

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_

Field Book: \_\_\_\_\_ Page \_\_\_\_\_

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: SEE PAGE 103 "C"

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

### ADDITIONAL NOTES

40039

ERING  
H CON-  
ME ITEM.  
ETC.





Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Date Located: 7/21/87  
By: W. H. H. H.  
Monument Description: RR SPIKE  
Monument Witnesses: SET 4" GUT IN EAST FACE OF RR RAIL TIE NW 1/4 S. 30  
SET 1" IN BOTTOM OF RAIL TIE IN EAST FACE OF RR RAIL TIE NW 1/4 S. 30  
SET 1" IN WEST FACE OF RR RAIL TIE NW 1/4 S. 30  
1" NW 1/4 S. 30

Date Located: 6/24/91  
By: JR MOYER - CEMETES  
Monument Description: BRONZE MARKER  
Monument Witnesses:  
SET NAIL IN BOTTLE CAP IN W FACE OF P POLE      NNE 67.08°  
" " " " " " SE " " " " " ENE 49.43°  
SET NOTCH IN NORTH EDGE OF RA RAIL FCP      S 20.19°  
V<sub>2</sub> DEEP W/CAP      SW 29.06°

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Date Located: 6/24/91  
By: JK MOYER - CC HAINES  
Monument Description: ARK SPIKE  
Monument Witnesses: SET "4" CUT IN S FACE OF RR RAIL FCP NW 31.20  
SOUTH FACE OF RR RAIL FCP N 20.00  
SET "1" CUT IN WEST FACE OF RR RAIL FCP SE 28.74  
NW 1/4 T29N R20E NW 61.54  
NW 1/4 T29N R20E SW 34.92

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_


Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: SEE PAGE 488 "A"  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

## ADDITIONAL NOTES

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are approximately 20 lines visible. The paper appears slightly aged or off-white. There is no handwriting or other markings on the page.

Washington  
7-32-7



## E (CENTER OF SECTION)

Date Located: 5/19/17  
By: SCM  
Monument Description: FOUR NAILS REPLACED WITH NAIL / DRILL  
Monument Witnesses: 1/2" DRILL N/CAP NW 30.99'  
1/2" DRILL FCP E 15.75'  
1/2" DRILL N/CAP SW 24.75'  
1/2" DRILL FCP W 15.35'

Field Book: 7 Page: 22

## F (EAST QUARTER CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

## G (SOUTHWEST CORNER)

Date Located: 6/27/16  
By: SCM  
Monument Description: HARRISON MONUMENT  
Monument Witnesses: 1/2" DRILL FCP N 50.30'  
NAIL IN B. CAP IN N/CAP E 62.00' SEE 46.90'  
1/2" DRILL FCP S 20.31'  
1/2" DRILL FCP W 50.30'

Field Book: 4 Page: 21

## H (SOUTH QUARTER CORNER)

Date Located: 6/27/16  
By: SCM  
Monument Description: HARRISON MONUMENT  
Monument Witnesses: NAIL IN B. CAP IN RP SE 54.24'  
NAIL IN B. CAP IN RP SW 54.99'

Field Book: 4 Page: 22

## I (SOUTHEAST CORNER)

Date Located: 6/27/16  
By: SCM  
Monument Description: FOUR NAILS IN "WALKER" WASHER  
Monument Witnesses: NAIL IN B. CAP IN P. POLE ENE 72.41'  
NAIL IN B. CAP IN P. POLE SE 65.60'  
1/2" DRILL FCP S 50.17'

Field Book: 4 Page: 23

## A (NORTHWEST CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: SEE PAGE 486 "G"  
(5/19 POST SEC. 6-32-7)

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

## B (NORTH QUARTER CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: SEE PAGE 486 "H"  
(5/19 POST SEC. 6-32-7)

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

## C (NORTHEAST CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: SEE PAGE 488 "A"

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

## D (WEST QUARTER CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

## ADDITIONAL NOTES

0039

ERING  
CH CON-  
ME ITEM.  
ETC.





Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Date Located: 1/25/17  
By: SRM  
Monument Description: FO 3/4" IRON PIPE 4' DEEP  
Monument Witnesses: 1/2" REBAR w/CAP NW 27.38'  
1/2" REBAR w/CAP NE 29.88'  
4 RR RAIL FCP E 16.75'  
4 RR RAIL FCP W 18.55'

Date Located: 6/15/01 (PREVIOUSLY RR SPR SET 1991)  
By: ERIC DISHER + MIKE KISSINGER  
Monument Description: Bronze Monument  
Monument Witnesses: SOUTH FACE OF RR RAIL FCP N 18.48'  
- SET PIR NAIL IN S FACE UTILITY POLE ENE 46.39'  
- NORTH FACE OF RR RAIL FCP S 18.92'  
- 1/2" REBAR W/CAP NW 26.85'  
SET 1/2" REBAR W/CAP WSW 44.50'

Date Located: 6/27/16  
By: SRM  
Monument Description: FO MAG NAIL IN "WALKER" WASHER  
Monument Witnesses: SEE Pg 487 "I"

Date Located: 3/6/18  
By: DR MOYER M HUFFMAN  
Monument Description: RESET  
Monument Witnesses: NAIL IN B. CAP P. POLE WSW 60.70  
1/2" REBAR W/CAP SE 52.65  
1/2" REBAR W/CAP SW 59.36

Date Located: 7/15/16  
By: JRM  
Monument Description: MAG NAIL \*WALKER\* WASHER  
Monument Witnesses: RR RAIL FCP N 49.90'  
1/2" REBAR W/CAP NE 44.90'  
NAIL IN R.CAP IN POWER POLE SW 75.06'

Date Located: 6/15/01 1/25/17 JRM  
By: ERIK DISHER - M. KISSINGER  
Monument Description: RR SPIKE FO SPIKE FLUSH  
Monument Witnesses: 1/2" REBAR w/CAP SE 36.39' ✓  
RIP N-NW 16.56' ✓  
RIP SW 33.78' ✓  
1/2" REBAR w/CAP SW 40.85'


Date Located: 7/15/16  
By: SRM  
Monument Description: HARRISON MONUMENT FLUSH  
Monument Witnesses: NAIL IN B. CAP IN PP NNE 60.34'  
1" CUT IN TOP OF CONC FCP NE 53.52'  
NAIL IN B. CAP IN TEL POLE SW 60.85'  
PK IN WASHER IN POWER POLE SE 55.60'

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

## ADDITIONAL NOTES



Washington  
9-32-7



## A (NORTHWEST CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: SEE PAGE 484 "C"  
(NE 1/4 SEC. 8-32-7)

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

## B (NORTH QUARTER CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: SEE PAGE 484 "H"  
(S 1/4 SEC. 8-32-7)

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

## C (NORTHEAST CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

## D (WEST QUARTER CORNER)

Date Located: 1/25/17  
By: SRM  
Monument Description: FO 3/4" IRON PIPE 4" DEEP  
Monument Witnesses: SEE Pg 488 "F"

Field Book: 5 Page: 57

## E (CENTER OF SECTION)

Date Located: 6/1/16  
By: SRM/ER  
Monument Description: FO MONUMENT FOUND  
Monument Witnesses: FACE OF 4" RR RAIL FCP W 18.05'  
FACE OF 4" RR RAIL FCP E 30.05'  
SE 1/2" RAIL W/CAP NE 28.50'

Field Book: 3 Page: 70

## F (EAST QUARTER CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

## G (SOUTHWEST CORNER)

Date Located: 7/15/16  
By: SRM  
Monument Description: HARRISON MONUMENT  
Monument Witnesses: SEE Pg 488 "I"

Field Book: 4 Page: 34

## H (SOUTH QUARTER CORNER)

Date Located: 3/1/16  
By: SRM/ER  
Monument Description: HARRISON MONUMENT - IN GROUND  
Monument Witnesses: MEASUREMENT P. POLE S 48.71'

Field Book: 3 Page: 69

## I (SOUTHEAST CORNER)

Date Located: 7/15/16  
By: SRM  
Monument Description: HARRISON MONUMENT FLUSH  
Monument Witnesses: 1/2" RAIL W/CAP NNE 32.25'  
NAIL IN B. CAP IN P. POLE SSE 46.47'


Field Book: 4 Page: 35

## ADDITIONAL NOTES

-0039

ERING  
CH CON-  
ME ITEM.  
ETC.

Washington  
10-32-7



#### A (NORTHWEST CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_  
\_\_\_\_\_

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

#### B (NORTH QUARTER CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: SEE PAGE 483 "H"  
\_\_\_\_\_

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

#### C (NORTHEAST CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_  
\_\_\_\_\_

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

#### D (WEST QUARTER CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_  
\_\_\_\_\_

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

#### E (CENTER OF SECTION)

Date Located: 6/26/2006 7/24/19  
By: MEK + JA SEM MWH  
Monument Description: PK NAIL (HARRISON TO RESET 8/2006)  
Monument Witnesses: NEAREST EDGE OF RIP 39.97' E  
1/2" CAPPED IRON REBAR 44.56' SE  
" " " " 32.8' NW

Field Book: 16 Page: 2

#### F (EAST QUARTER CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_  
\_\_\_\_\_

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

#### G (SOUTHWEST CORNER)

Date Located: 7/15/16  
By: SEM  
Monument Description: HARRISON MONUMENT  
Monument Witnesses: SEE Pg 489 "I"  
\_\_\_\_\_

Field Book: 4 Page: 35

#### H (SOUTH QUARTER CORNER)

Date Located: 6/26/2006  
By: MEK + JA  
Monument Description: PK NAIL (HARRISON TO RESET 8/2006)  
Monument Witnesses: \_\_\_\_\_  
1/2" CAPPED REBAR (8' N. OF TRAFFIC LIGHT POST) 72.62' NE  
" " " (12' NE " " " " 81.37' NW  
" " " (45' W " " " " 80.70' SW

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_


#### I (SOUTHEAST CORNER)

Date Located: 7/22/16  
By: SEM  
Monument Description: FO MAG NAIL IN WASHED  
Monument Witnesses: SEE Pg 491 "G"  
\_\_\_\_\_

Field Book: 4 Page: 38

#### ADDITIONAL NOTES

Washington  
11-32-7



## A (NORTHWEST CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_  
\_\_\_\_\_

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

## B (NORTH QUARTER CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_  
\_\_\_\_\_

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

## C (NORTHEAST CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_  
\_\_\_\_\_

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

## D (WEST QUARTER CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_  
\_\_\_\_\_

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

## E (CENTER OF SECTION)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_  
\_\_\_\_\_

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

## F (EAST QUARTER CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_  
\_\_\_\_\_

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

## G (SOUTHWEST CORNER)

Date Located: 7/15/16  
By: SRM  
Monument Description: FB MARK NAIL IN WASSER  
Monument Witnesses: 1/2" IRON W/ CAP NE 34.27'  
SET 1/2" IRON W/ CAP SE 35.71'  
W/ 1/2" IRON W/ CAP SW 109.5'

Field Book: 4 Page: 33

## H (SOUTH QUARTER CORNER)

Date Located: 7/15/16  
By: SRM  
Monument Description: W/ 1/2" IRON W/ CAP "WALKER" WALKER  
Monument Witnesses: 1/2" IRON W/ CAP N 50.16'  
NAIL IN B. CAP IN TEL POLE SE 53.45'  
NAIL IN B. CAP IN TEL POLE SW 59.75'

Field Book: 4 Page: 36

## I (SOUTHEAST CORNER)

Date Located: 7/15/16  
By: SRM  
Monument Description: FB MARK 7/15/16 HARRISON MONUMENT  
Monument Witnesses: CENTER OF A BUSHY BUSH DAM N 104.14' W 50.3'  
SET NAIL IN B. CAP IN POWER POLE NW 52.57'  
FB NAIL IN B. CAP IN TEL POLE SSE 50.83'

Field Book: 5 Page: 5 UPDATED 7/15/16 SRM


## ADDITIONAL NOTES

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

-0039

ERING  
CH CON-  
ME ITEM.  
ETC.





E (CENTER OF SECTION)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

F (EAST QUARTER CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

A (NORTHWEST CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: SEE PAGE 482 "I"  
(SE COR. SEC. 2-32-7)

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

G (SOUTHWEST CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: SEE PAGE 491 "I"  
(SE COR. SEC. 11-32-7)

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

B (NORTH QUARTER CORNER)

Date Located: 7/18/19  
By: SRM MNH  
Monument Description: 1/2" REBAR  
Monument Witnesses: 1/2" REBAR W/CAP NW 37.15'  
1/2" REBAR W/CAP N 40.20'  
1/2" REBAR W/CAP SW 23.75'

Field Book: 15 Page: 65

H (SOUTH QUARTER CORNER)

Date Located: 7/22/16  
By: SRM  
Monument Description: FD HARRISON MONUMENT  
Monument Witnesses: 4 RR RAIL FCP. N 50.07'  
FD MAG NAIL IN WASHER IN P POLE SE 53.80'  
SET 1/2" REBAR W/CAP SW 46.46'

Field Book: 4 Page: 39

C (NORTHEAST CORNER)

Date Located: 7/18/19  
By: SRM MNH  
Monument Description: RR SPIKE  
Monument Witnesses: 8" I-BEAM FCP W 22.11'  
1/2" REBAR W/CAP SE 27.71'  
1/2" REBAR W/CAP SW 30.92'

Field Book: 15 Page: 64

I (SOUTHEAST CORNER)

Date Located: 7/22/16  
By: SRM  
Monument Description: FD 1/2" REBAR FLUSH  
Monument Witnesses: NAIL IN B. CAP IN REMC POLE WSW 18.30'  
NAIL IN B. CAP IN FENCE POST ENE 20.72'  
FD PK NAIL IN B. CAP IN WOOD POST SW 28.35'


Field Book: 4 Page: 40

D (WEST QUARTER CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

ADDITIONAL NOTES



E (CENTER OF SECTION)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

F (EAST QUARTER CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

G (SOUTHWEST CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

H (SOUTH QUARTER CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

I (SOUTHEAST CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

A (NORTHWEST CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: SEE Pg 491 "H"

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

B (NORTH QUARTER CORNER)

Date Located: 7/22/16  
By: SRM  
Monument Description: FO HARRISON MONUMENT  
Monument Witnesses: SEE Pg 492 "H"

Field Book: 4 Page: 39

C (NORTHEAST CORNER)

Date Located: 7/22/16  
By: SRM  
Monument Description: FO 1/2" REBAR FLUSH  
Monument Witnesses: SEE Pg 492 "I"

Field Book: 4 Page: 40

D (WEST QUARTER CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_


ADDITIONAL NOTES

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

0039

ERING  
CH CON-  
ME ITEM.  
ETC.

Washington  
14-32-7

**A (NORTHWEST CORNER)**

Date Located: 7/22/16  
By: SRM  
Monument Description: FO MAG NAIL IN WASHER  
Monument Witnesses: SEE Pg 491 "G"

Field Book: 4 Page: 38

**B (NORTH QUARTER CORNER)**

Date Located: 7/15/16  
By: SRM  
Monument Description: MAG NAIL "WALKER" WASHER  
Monument Witnesses: SEE Pg 491 "H"

Field Book: 4 Page: 36

**C (NORTHEAST CORNER)**

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: SEE PAGE 491 "I"  
(SE COR. SEC. 11-32-7)

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

**D (WEST QUARTER CORNER)**

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

**E (CENTER OF SECTION)**

Date Located: 7/24/19  
By: SRM MWH  
Monument Description: 1/2" REBAR  
Monument Witnesses: 4 RR RAIL FCP W 17.53'  
FACE RR RAIL FCP E 17.32'  
NAIL IN B. CAP POWER POLE WSW 17.93'

Field Book: 16 Page: 9

**F (EAST QUARTER CORNER)**

Date Located: 7/24/19  
By: SRM MWH  
Monument Description: FO 1/2" REBAR  
Monument Witnesses: 1/2" REBAR W/CAP NE 22.51'  
EDGE OF RR RAIL FCP E 17.3'  
1/2" REBAR W/CAP SE 29.44'

Field Book: 16 Page: 3

**G (SOUTHWEST CORNER)**

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

**H (SOUTH QUARTER CORNER)**

Date Located: 7/24/19  
By: SRM MWH  
Monument Description: 5/8" REBAR  
Monument Witnesses: NAIL IN B. CAP P. POLE SW 55.35'  
NAIL IN B. CAP POWER POLE NW 53.14'  
NAIL IN WOOD FCP S 23.40'

Field Book: 16 Page: 8


**I (SOUTHEAST CORNER)**

Date Located: 7/24/19  
By: SRM MWH  
Monument Description: BRONZE MONUMENT  
Monument Witnesses: 1/2" REBAR W/CAP SW 38.32'  
4 RR RAIL FCP E 16.8'  
1/2" REBAR W/CAP SE 39.35'

Field Book: 16 Page: 4

**ADDITIONAL NOTES**





E (CENTER OF SECTION)

Date Located: 7/24/19  
By: SRM MWLH  
Monument Description: MAG NAIL  
Monument Witnesses: NAIL IN B CAP POWER POLE NE 19.25'  
FACE RR RAIL FCP E 19.93'  
1/2" REBAR W/CAP SE 30.24'  
Field Book: 16 Page: 10

F (EAST QUARTER CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_  
Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

G (SOUTHWEST CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_  
Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

A (NORTHWEST CORNER)

Date Located: 7/15/16  
By: SRM  
Monument Description: HARRISON MONUMENT  
Monument Witnesses: SEE Pg 489 "I"  
Field Book: 4 Page: 35

B (NORTH QUARTER CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: SEE PAGE 490 "H"  
(5/4 POST SEC. 10-32-7)  
Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

H (SOUTH QUARTER CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_  
Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

C (NORTHEAST CORNER)

Date Located: 7/22/16  
By: SRM  
Monument Description: FO MAG NAIL IN WASHER  
Monument Witnesses: SEE Pg 491 "G"  
Field Book: 4 Page: 38


I (SOUTHEAST CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_  
Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

D (WEST QUARTER CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_  
Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

ADDITIONAL NOTES



A (NORTHWEST CORNER)

Date Located: 7/15/16  
By: SEM  
Monument Description: HARRISON MONUMENT  
Monument Witnesses: SEE Pg 488 "I"

Field Book: 4 Page: 34

B (NORTH QUARTER CORNER)

Date Located: 6/1/16  
By: SE MOYER  
Monument Description: HARRISON MONUMENT IN CONC  
Monument Witnesses: MAG NAIL IN P POLE S 48.71'

Field Book: 3 Page: 69

C (NORTHEAST CORNER)

Date Located: 7/15/16  
By: SEM  
Monument Description: HARRISON MONUMENT  
Monument Witnesses: SEE Pg 489 "I"

Field Book: 4 Page: 35

D (WEST QUARTER CORNER)

Date Located: 10/6/16  
By: SEM  
Monument Description: MAG NAIL w/ WASHER  
Monument Witnesses: SEE Pg 497 "F"

Field Book: 5 Page: 11

E (CENTER OF SECTION)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

F (EAST QUARTER CORNER)

Date Located: 4/13/21  
By: SEM MWH  
Monument Description: RR RAIL FCP  
Monument Witnesses: \_\_\_\_\_

Field Book: 20 Page: 1

G (SOUTHWEST CORNER)

Date Located: 10/6/16  
By: SEM  
Monument Description: FO PK NAIL  
Monument Witnesses: SEE Pg 497 "I"

Field Book: 5 Page: 10

H (SOUTH QUARTER CORNER)

Date Located: 4/13/21  
By: SEM MWH  
Monument Description: 1/2" REBAR w/CAP  
Monument Witnesses: \_\_\_\_\_

Field Book: 20 Page: 2


I (SOUTHEAST CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

ADDITIONAL NOTES

Washington  
17-32-7



## E (CENTER OF SECTION)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

## F (EAST QUARTER CORNER)

Date Located: 10/6/16  
By: SRM  
Monument Description: 1/2" MAG NAIL W/ WASHER  
Monument Witnesses: RR RAIL FCP W 20.32  
RR RAIL E 20.54  
1/2" RAIL W/ CAP SW 63.05

Field Book: 5 Page: 11

## G (SOUTHWEST CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

## A (NORTHWEST CORNER)

Date Located: 6/27/16  
By: SRM  
Monument Description: 1/2" MAG NAIL IN "WALKER" WASHER  
Monument Witnesses: SEE Pg 487 "I"

Field Book: 4 Page: 23

## B (NORTH QUARTER CORNER)

Date Located: 7/15/16  
By: SRM  
Monument Description: MAG NAIL "WALKER" WASHER  
Monument Witnesses: SEE Pg 488 "H"

Field Book: 4 Page: 33

## H (SOUTH QUARTER CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

## C (NORTHEAST CORNER)

Date Located: 7/15/16  
By: SRM  
Monument Description: HARRISON MONUMENT  
Monument Witnesses: SEE Pg 488 "I"

Field Book: 4 Page: 34

## I (SOUTHEAST CORNER)

Date Located: 10/6/16  
By: SRM  
Monument Description: 1/2" MAG NAIL  
Monument Witnesses: RR RAIL FCP E 20.23  
NAIL IN R. CAP IN POLE ESE 13.61  
1/2" RAIL W/ CAP SE 36.24  
1/2" RAIL W/ CAP SW 63.05

Field Book: 5 Page: 10

## D (WEST QUARTER CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_


## ADDITIONAL NOTES

0039

ERING  
CH CON-  
ME ITEM.  
ETC.



Washington  
18-32-7



## A (NORTHWEST CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: SEE PAGE 585 "G"  
Monument Witnesses: (NE SEC. 13-32-6)

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

## B (NORTH QUARTER CORNER)

Date Located: 6/27/16  
By: SEM  
Monument Description: HARRISON MONUMENT  
Monument Witnesses: NAIL IN B. CAP IN P.P. SE 54.24'  
NAIL IN B. CAP IN P.P. SW 54.99'

Field Book: 4 Page: 22

## C (NORTHEAST CORNER)

Date Located: 6/27/16  
By: SEM  
Monument Description: FO MAG NAIL IN "WALKER" WASHER  
Monument Witnesses: SEE Pg. 487 "I"

Field Book: 4 Page: 23

## D (WEST QUARTER CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

## E (CENTER OF SECTION)

Date Located: 9/20/17  
By: SEM  
Monument Description: FO PK NAIL  
Monument Witnesses: 1/2" REBAR W/CAP NW 32.32'  
MAG NAIL IN POWER POLE ESE 37.50'  
MAG NAIL IN POWER POLE SW 38.35'

Field Book: 7 Page: 68

## F (EAST QUARTER CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

## G (SOUTHWEST CORNER)

Date Located: 9/25/17  
By: SEM  
Monument Description: FO 1" IRON PIPE  
Monument Witnesses: BASE OF 12" CHERRY TREE NE 1.1'

Field Book: 7 Page: 70

## H (SOUTH QUARTER CORNER)

Date Located: 9/20/17  
By: SEM  
Monument Description: FO PK NAIL  
Monument Witnesses: 1/2" REBAR W/CAP NE 38.33'  
PK NAIL IN INTERSECTION N 112.55'  
1/2" REBAR W/CAP ESE 21.35'  
NAIL IN B. CAP IN P. POLE SW 30.59'  
PK NAIL W 1.81'

Field Book: 7 Page: 69

## I (SOUTHEAST CORNER)

Date Located: \_\_\_\_\_  
By: \_\_\_\_\_  
Monument Description: \_\_\_\_\_  
Monument Witnesses: \_\_\_\_\_

Field Book: \_\_\_\_\_ Page: \_\_\_\_\_

ADDITIONAL NOTES