


Wayne
19-32-6

A (NORTHWEST CORNER)

Date Located: _____
 By: _____
 Monument Description: _____
 Monument Witnesses: SEE PAGE 540 "G"
(SW COR. SEC. 18-32-6)

Field Book: _____ Page: _____

B (NORTH QUARTER CORNER)

Date Located: _____
 By: _____
 Monument Description: _____
 Monument Witnesses: SEE PAGE 540 "H"
(S1/4 POST SEC. 18-32-6)

Field Book: _____ Page: _____

C (NORTHEAST CORNER)

Date Located: 4/10/17 UPDATED
 By: DEM
 Monument Description: FD RR RAIL FCP
 Monument Witnesses: SET 1/2" REBAR W/CAP WSW 23.0'
FD 1/2" REBAR AT BASE OF TREES S 37.4'

Field Book: 1 Page: 41

D (WEST QUARTER CORNER)

Date Located: 7/7/19
 By: JR MOYER - EC HAINES
 Monument Description: PK NAIL
 Monument Witnesses: CENTER OF A 10" T. RAIL FCP E 22.10'
SET NAIL IN BOTTLE CAP IN NW COR. OF A P. NNE 62.00' NNE 63.07'
1/2" REBAR W/CAP NW 34.91'
FD 1/2" REBAR NO CAP W 19.61'

Field Book: 1 Page: 77 UPDATED 4/7/17

E (CENTER OF SECTION)

Date Located: 4/11/17
 By: DEM
 Monument Description: RR RAIL FCP
 Monument Witnesses: _____

Field Book: 6 Page: 56

F (EAST QUARTER CORNER)

Date Located: 4/10/17
 By: DEM
 Monument Description: FD RR RAIL FCP
 Monument Witnesses: SEE PLATS

Field Book: 6 Page: 55

G (SOUTHWEST CORNER)

Date Located: 4/10/17
 By: DEM
 Monument Description: SET MAG NAIL IN TAG
 Monument Witnesses: 1/2" REBAR W/CAP WNW 35.13'
"WALKER" CAPPED IRON ENE 58.05'
MAG NAIL IN NIPSCO PP 633/512 ESE 42.24'
NAIL IN B. CAP NIPSCO PP 647/235 SSE 46.05'
1/2" REBAR W/CAP SW 36.00'

Field Book: 1 Page: 65 UPDATED

H (SOUTH QUARTER CORNER)

Date Located: 6/29/19
 By: JR MOYER - EC HAINES
 Monument Description: PK NAIL / MAG NAIL IN TAG
 Monument Witnesses: CENTER OF RR RAIL FCP N 19.98
SET NAIL IN BOTTLE CAP IN NE COR. OF A P. S 54.09'
1/2" REBAR W/CAP NW 20.50'
NAIL IN B. CAP IN POWER POLE NE 42.99'

Field Book: 1 Page: 65 UPDATED 4/11/17

I (SOUTHEAST CORNER)


Date Located: 4/10/17 UPDATED
 By: DEM
 Monument Description: SET MAG NAIL IN TAG
 Monument Witnesses: NAIL IN B. CAP NIPSCO PP NNE 19.20'
NAIL IN B. CAP NIPSCO ANCHOR POLE SSW 19.46'
RR SPIKE IN DRIVEWAY SW 31.68'

Field Book: 1 Page: 52

ADDITIONAL NOTES

0039

RING
H CON-
E ITEM.
TC.



A (NORTHWEST CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: SEE PAGE 540 "I"
(SEE COR. SEC. 18-32-6)

Field Book: _____ Page: _____

B (NORTH QUARTER CORNER)

Date Located: 9/23/20
By: SRM NW1/4
Monument Description: FO "KIMPEL" CAPPED IRON
Monument Witnesses: _____

Field Book: A Page: 43

C (NORTHEAST CORNER)

Date Located: 6/10/92 1/19/2017
By: JB MOYER-EL HAINES
Monument Description: PK NAIL
Monument Witnesses: FO 1/4" I.P. S 22.00
SET NAIL IN BOTTLE CAP IN E FACE OF POWER POLE NNE 19.12
*- IMPORTANT * SEE Pg 539 "I"
FOR UPDATED LOCATION
Field Book: 1 Page: 51
SEE FIELD BOOK 5 Pg 52
STATE PLANE COORDINATES PHASE II 2/2018

D (WEST QUARTER CORNER)

Date Located: 4/11/17
By: SRM
Monument Description: FO RR RAIL FCP
Monument Witnesses: SEE PLATS

Field Book: 6 Page: 55

E (CENTER OF SECTION)

Date Located: 4/11/17
By: SRM
Monument Description: FO 3"x 6" STEEL I-BEAM FCP
Monument Witnesses: _____

Field Book: 6 Page: 57

F (EAST QUARTER CORNER)

Date Located: 6/10/92
By: JB MOYER-EL HAINES
Monument Description: 2"x 5" I-BEAM FOR CONCRETE CORNER POST
Monument Witnesses: 3/4" DIA ELM TACK SG 7.3

Field Book: 1 Page: 51

G (SOUTHWEST CORNER)

Date Located: 6/10/92
By: JB MOYER-EL HAINES
Monument Description: PK NAIL
Monument Witnesses: CENTER OF RR RAIL FCP N 19.87
SET NAIL IN BOTTLE CAP IN E FACE OF POWER POLE NNE 19.12
" " " " " W. " " " " " SSW 19.59

Field Book: 1 Page: 52 UPDATED 4/16/17
SEE Pg 541
STATE PLANE COORDINATES PHASE I 12/2017

H (SOUTH QUARTER CORNER)

Date Located: 3/16/18
By: SR MOYER M HUFFMAN
Monument Description: SET 1/2"x 24" REBAR W/CAP
Monument Witnesses: 1/2" REBAR W/CAP NW 48.07'
1/2" REBAR W/CAP NE 53.20'
& CR 200 S N 16'


Field Book: 9 Page: 9

I (SOUTHEAST CORNER)

Date Located: 4/12/17
By: SRM
Monument Description: MAG NAIL IN CO. TAG
Monument Witnesses: NAIL IN B. CAP REMC POLE NNE 19.43'
1/2" REBAR W/CAP IN FENCE NE 30.95'
1/2" REBAR W/CAP SE 31.50'
NAIL IN B. CAP IN RR TIE FCP S 22.68'

Field Book: 6 Page: 58
STATE PLANE COORDINATES PHASE I 12/2017

ADDITIONAL NOTES

Wayne
21-32-6

E (CENTER OF SECTION)

Date Located: 11/30/16
By: DEM
Monument Description: RR RAIL FCP IN CONC
Monument Witnesses: _____

Field Book: 5 Page: 34

F (EAST QUARTER CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

A (NORTHWEST CORNER)

Date Located: 1/19/17
By: DEM
Monument Description: FO 1 1/4" IRON PIPE 9" DEEP
Monument Witnesses: SEE Pg 539 "I"

Field Book: 5 Page: 52

G (SOUTHWEST CORNER)

Date Located: 4/12/17
By: DEM
Monument Description: MAG NAIL IN CO. TAG
Monument Witnesses: SEE Pg 542 "I"

Field Book: 6 Page: 58

B (NORTH QUARTER CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

H (SOUTH QUARTER CORNER)

Date Located: 4/16/17
By: DEM
Monument Description: FO RR RAIL FCP
Monument Witnesses: 1/2" REBAR NO CAP W/ 24.7'

Field Book: 6 Page: 54

C (NORTHEAST CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

I (SOUTHEAST CORNER)

Date Located: 1/23/17
By: DEM
Monument Description: FO 2" STEEL FCP
Monument Witnesses: SEE Pg 544 "G"

Field Book: 5 Page: 53

D (WEST QUARTER CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: SEE PAGE 542 "F"
(EVA POST SEC. 20-32-6)


Field Book: _____ Page: _____

ADDITIONAL NOTES

0039

RING
H CON-
E ITEM.
TC.

Wayne
22-32-6



A (NORTHWEST CORNER)

Date Located: _____
By: _____
Monument Description: IN WINONA LAKE
Monument Witnesses: _____

Field Book: _____ Page: _____

B (NORTH QUARTER CORNER)

Date Located: 9/20/16
By: SEM
Monument Description: FD 6" DIA STEEL FCP
Monument Witnesses: GARAGE N 8.5'

Field Book: 4 Page: 73

C (NORTHEAST CORNER)

Date Located: 9/20/16
By: SEM
Monument Description: SET 1/2" x 24" REBAR W/CAP
Monument Witnesses: 1/2" REBAR NE 3.70'
1/2" REBAR SE 6.65'

Field Book: 4 Page: 72

D (WEST QUARTER CORNER)

Date Located: _____
By: SEM
Monument Description: NONE FD 9/21/16 IN DITCH
Monument Witnesses: _____

Field Book: _____ Page: _____

E (CENTER OF SECTION)

Date Located: 9/21/16
By: SEM
Monument Description: FD 2 1/2" DIA STEEL FCP
Monument Witnesses: 26" DIA OAK N 2.7'
37" DIA OAK W 32'
39" DIA OAK E 17'
CAPPED IRON E 52.2'

Field Book: 4 Page: 76

F (EAST QUARTER CORNER)

Date Located: 9/20/16
By: SEM
Monument Description: FD RR RAIL FCP
Monument Witnesses: 39" DIA BURR OAK SW 15'
36" DIA BLACK WALNUT NE 22.5'

Field Book: 4 Page: 74

G (SOUTHWEST CORNER)

Date Located: 1/23/17
By: SEM
Monument Description: FD 2" STEEL FCP
Monument Witnesses: 5/8" REBAR S 24.8'

Field Book: 5 Page: 53

H (SOUTH QUARTER CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____


Field Book: _____ Page: _____

I (SOUTHEAST CORNER)

Date Located: 9/20/16
By: SEM
Monument Description: FD RR RAIL FCP
Monument Witnesses: _____

Field Book: 4 Page: 75

ADDITIONAL NOTES



E (CENTER OF SECTION)

Date Located: 9/23/16
By: SEM
Monument Description: FO "HUFFMAN" MAG NAIL IN WASHER
Monument Witnesses: NAIL IN B. CAP IN PP WNW 25.54'
FO "HUFFMAN" CAPPED IRON W 19.97'
NAIL IN B. CAP IN PP SE 46.55'
BACK OF CURB W 14.85'
Field Book: 4 Page: 77
STATE PLANE COORDINATES PHASE I 12/2017

F (EAST QUARTER CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____
Field Book: _____ Page: _____

G (SOUTHWEST CORNER)

Date Located: 9/20/16
By: SEM
Monument Description: FO RR RAIL FCP
Monument Witnesses: _____
Field Book: 4 Page: 75

A (NORTHWEST CORNER)

Date Located: 9/20/16
By: SEM
Monument Description: SET 1/2" x 24" REBAR W/CAP
Monument Witnesses: 1/2" REBAR W/CAP NE 3.70'
1/2" REBAR W/CAP SE 6.65'
Field Book: 4 Page: 72

B (NORTH QUARTER CORNER)

Date Located: 9/23/16
By: SEM
Monument Description: FO HARRISON MONUMENT
Monument Witnesses: NAIL IN B. CAP IN PP W 24.62'
RR RAIL FCP CUT OFF FLUSH E 20.22'
NAIL IN B. CAP IN PP E 28.58'
Field Book: 4 Page: 78
STATE PLANE COORDINATES PHASE I 12/2017

H (SOUTH QUARTER CORNER)

Date Located: 6/11/19
By: SEM
Monument Description: RR RAIL FCP
Monument Witnesses: _____
Field Book: 14 Page: 66

C (NORTHEAST CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____
Field Book: _____ Page: _____


I (SOUTHEAST CORNER)

Date Located: 4/13/18
By: SEM
Monument Description: FO 4" CUT IN CONC BASE STEEL FCP
Monument Witnesses: FO 3/4" IRON PIPE E 22.0'
Field Book: 9 Page: 37

D (WEST QUARTER CORNER)

Date Located: 9/20/16
By: SEM
Monument Description: FO RR RAIL FCP
Monument Witnesses: 39" DIA BURR OAK SW 15'
36" DIA BLACK WALNUT NE 22.5'
Field Book: 4 Page: 74

ADDITIONAL NOTES



E (CENTER OF SECTION)

Date Located: 5/15/18
By: SEM
Monument Description: FO RR RAIL F&P
Monument Witnesses: _____

Field Book: 9 Page: 65

F (EAST QUARTER CORNER)

Date Located: 11/14/19
By: SRM MWH
Monument Description: RAILROAD RAIL F&P
Monument Witnesses: WOOD POST E 160'

Field Book: 18 Page: 23

G (SOUTHWEST CORNER)

Date Located: 4/18/18
By: SEM
Monument Description: FO 4" CUT IN CONC BASE STEEL F&P
Monument Witnesses: FO 3/4" IRON PIPE E 220'

Field Book: 9 Page: 37

H (SOUTH QUARTER CORNER)

Date Located: 11/14/19
By: SRM MWH
Monument Description: 4" DIA STEEL POST IN CONC FLUSH
Monument Witnesses: _____

Field Book: 18 Page: 24

I (SOUTHEAST CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

ADDITIONAL NOTES

A (NORTHWEST CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

B (NORTH QUARTER CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

C (NORTHEAST CORNER)


Date Located: 9/25/17
By: SEM
Monument Description: FO 1" IRON PIPE
Monument Witnesses: BASE OF 12" CHERRY TREE NE 1/4'

Field Book: 7 Page: 70

D (WEST QUARTER CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____



A (NORTHWEST CORNER)

Date Located: 4/18/18
By: SEM
Monument Description: "+" CUT IN CONC BASE STEEL FCP
Monument Witnesses: FO 3/4" IRON PIPE E 220'

Field Book: 9 Page: 37

B (NORTH QUARTER CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

C (NORTHEAST CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

D (WEST QUARTER CORNER)

Date Located: 6/10/19
By: SEM
Monument Description: 8" DIA WOODEN FCP
Monument Witnesses: _____

Field Book: 14 Page: 65

E (CENTER OF SECTION)

Date Located: 5/29/19
By: SEM MWH
Monument Description: SET MAG NAIL W/ CO TAG
Monument Witnesses: 4 RR RAIL FCP W 20'
1/2" REBAR W/ CAP NE 31.95'
4 RR RAIL FCP E 20'
NAIL IN B. CAP REMOVED ESE 19.30'

Field Book: 14 Page: 42

F (EAST QUARTER CORNER)

Date Located: 5/1/17
By: SEM
Monument Description: FO RR SPIKE
Monument Witnesses: SEE Pg 511 "D"

Field Book: 6 Page: 71

G (SOUTHWEST CORNER)

Date Located: 6/11/19
By: SEM
Monument Description: RR RAIL FCP
Monument Witnesses: _____

Field Book: 14 Page: 67

H (SOUTH QUARTER CORNER)

Date Located: 3/15/16
By: SEM
Monument Description: MAG NAIL IN WASHER OVER RR SPIKE
Monument Witnesses: SEE Pg 558 "B"

Field Book: 3 Page: 38


I (SOUTHEAST CORNER)

Date Located: 3/15/16
By: SEM
Monument Description: MAG NAIL W/ WASHER
Monument Witnesses: SEE Pg 558 "C"

Field Book: 3 Page: 39

ADDITIONAL NOTES

Wayne
26-32-6



A (NORTHWEST CORNER)

Date Located: 9/20/16
By: SRM
Monument Description: FD RR RAIL FCP
Monument Witnesses: _____

Field Book: 4 Page: 75

B (NORTH QUARTER CORNER)

Date Located: 6/11/19
By: SRM
Monument Description: RR RAIL FCP
Monument Witnesses: _____

Field Book: 14 Page: 66

C (NORTHEAST CORNER)

Date Located: 4/18/18
By: SRM
Monument Description: FD 1" CUT IN GUNK BASE STEEL FCP
Monument Witnesses: FD 3/4" IRON PIPE E 220'

Field Book: 9 Page: 37

D (WEST QUARTER CORNER)

Date Located: 11/14/17
By: SRM
Monument Description: FD 3/4" IRON ROD
Monument Witnesses: 1/2" REBAR W/CAP SW 25.43'
NAIL IN B. CAP POWER POLE NE 58.05'
1/2" REBAR W/CAP SE 26.21'

Field Book: 8 Page: 27
STATE PLANE COORDINATES PHASE II 2/2018

E (CENTER OF SECTION)

Date Located: 10/3/16
By: SRM
Monument Description: FD RR SPIKE
Monument Witnesses: 4 RR RAIL FCP SSE 27.2'
NAIL IN B. CAP IN POWER POLE SSE 16.41'

Field Book: 5 Page: 9
STATE PLANE COORDINATES PHASE I 12/2017

F (EAST QUARTER CORNER)

Date Located: 6/10/19
By: SRM
Monument Description: 8" DIA WOODEN FCP
Monument Witnesses: _____

Field Book: 14 Page: 65

G (SOUTHWEST CORNER)

Date Located: 8/9/18
By: SRM
Monument Description: FD 1" IRON PIPE
Monument Witnesses: SEE Pg 549 "I"

Field Book: 10 Page: 58

H (SOUTH QUARTER CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

I (SOUTHEAST CORNER)


Date Located: 6/11/19
By: SRM
Monument Description: RR RAIL FCP
Monument Witnesses: _____

Field Book: 14 Page: 67

ADDITIONAL NOTES



ADDITIONAL NOTES



A (NORTHWEST CORNER)

Date Located: 4/12/17
By: SEM
Monument Description: MAG NAIL IN CO. TAG
Monument Witnesses: SEE Pg 542 "I"

Field Book: 6 Page: 58

B (NORTH QUARTER CORNER)

Date Located: 4/6/17
By: SEM
Monument Description: FO RR RAIL FCP
Monument Witnesses: 1/2" REBAR 10 CAP W 24.7'

Field Book: 6 Page: 54

C (NORTHEAST CORNER)

Date Located: 1/23/17
By: SEM
Monument Description: FO 2" STEEL FCP
Monument Witnesses: SEE Pg 544 "G"

Field Book: 5 Page: 53

D (WEST QUARTER CORNER)

Date Located: 10/19/17
By: SEM
Monument Description: FO 1 1/2" IP INSIDE 3 1/2" DIA STEEL FCP
Monument Witnesses:

Field Book: 8 Page: 15

E (CENTER OF SECTION)

Date Located:
By:
Monument Description:
Monument Witnesses:

Field Book: Page:

F (EAST QUARTER CORNER)

Date Located: 12/1/17
By: SEM
Monument Description: FO 2" DIA STEEL FCP
Monument Witnesses: G CHAIN LINK FENCE 27.3' SOUTH

Field Book: 8 Page: 41

G (SOUTHWEST CORNER)

Date Located: 9/16/16
By: SEM
Monument Description: FO RR SPIKE
Monument Witnesses: SEE Pg 551 "I"

Field Book: 4 Page: 70

H (SOUTH QUARTER CORNER)

Date Located:
By:
Monument Description:
Monument Witnesses:


Field Book: Page:

I (SOUTHEAST CORNER)

Date Located:
By:
Monument Description:
Monument Witnesses:

Field Book: Page:

ADDITIONAL NOTES



E (CENTER OF SECTION)

Date Located: 11/12/20
By: SEAN MWH
Monument Description: RR RAIL FCP
Monument Witnesses: 2 1/2" OIA STEEL FCP W 431.98'
WALKER CAPPED IRON E 515.59

Field Book: 19 Page: 67

F (EAST QUARTER CORNER)

Date Located: 10/19/17
By: SRA
Monument Description: FB 1/2" IP INSIDE 3 1/2" DIA STEEL FCP
Monument Witnesses: _____

Field Book: 8 Page: 15

G (SOUTHWEST CORNER)

Date Located: 5/3/19
By: SEM MWL
Monument Description: BRONZE MONUMENT
Monument Witnesses: SEE Pg 554 "A"

Field Book: 13 Page: 65

H (SOUTH QUARTER CORNER)

Date Located: 5/3/19
By: SEM MWH
Monument Description: RE SPIKE
Monument Witnesses: SEE Pg 554 "B"

Field Book: 13 Page: 606

I (SOUTHEAST CORNER)

Date Located: 9/16/16
By: DEM
Monument Description: FD RR SPIKE
Monument Witnesses: NEAREST EDGE RR RAIL FCP NE 23.54'
1/2" REBAR W/CAP SE 23.60'
NAIL IN B. CAP IN P POLE WSW 99.84'

Field Book: 4 Page: 70
STATE PLANE COORDINATE PHASE I 12/2017

ADDITIONAL NOTES

A (NORTHWEST CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: SEE PAGE 542 "G"
(SW COR. SEC. 20-32-6)

Field Book: 1 Page: 52
STATE PLANE COORDINATES PHASE I 12/2017

B (NORTH QUARTER CORNER)

Date Located: 3/16/18
By: DR MOYER M HUFFMAN
Monument Description: SET 1/2" x 34" REBAR w/CAP
Monument Witnesses: 1/2" REBAR w/CAP NW 48.07'
1/2" REBAR w/CAP NE 53.20'
E CR 200 S N 16'

Field Book: 9 Page: 9

C (NORTHEAST CORNER)


Date Located: 4/12/17
By: DEM
Monument Description: MAG NAIL IN CO. TAG
Monument Witnesses: SEE PG 542 "I"

Field Book: 6 Page: 58
STATE PLANE COORDINATES PHASE I 12/2017

D (WEST QUARTER CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____



A (NORTHWEST CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: SEE PAGE 520 "I"
(SE COR. SEC. 24-32-5)

Field Book: _____ Page: _____
STATE PLANE COORDINATES PHASE I 12/2017

B (NORTH QUARTER CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: SEE PAGE 541 "H"
(5/4 POST SEC. 19-32-6)

Field Book: _____ Page: _____
STATE PLANE COORDINATES PHASE I 12/2017

C (NORTHEAST CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: SEE PAGE 542 "G"
(SW COR. SEC. 20-32-6)

Field Book: 1 Page: 52
STATE PLANE COORDINATES PHASE I 12/2017

D (WEST QUARTER CORNER)

Date Located: 4/12/18
By: SEM
Monument Description: FO RR SPIKE 3" DEEP
Monument Witnesses: NAIL IN B. CAP IN P. POLE WNW 90.48'
NAIL IN B. CAP IN P. POLE ENE 21.33'
4" RR RAIL FCP E 20.5'
1/2" REBAR W/CAP SW 50.99'

Field Book: 9 Page: 31

E (CENTER OF SECTION)

Date Located: 2/25/19
By: SEM
Monument Description: FO "WALKER" MAG NAIL
Monument Witnesses: 4" RR RAIL FCP W 31.34'
NAIL IN B. CAP TEL POLE WNW 28.55'
4" DIA STEEL AXLE E 30.17'
NAIL IN B. CAP NIPSCO POLE ESE 29.06'

Field Book: 12 Page: 9

F (EAST QUARTER CORNER)

Date Located: 2/25/19
By: SEM
Monument Description: RR RAIL FCP
Monument Witnesses: _____

Field Book: 12 Page: 10

G (SOUTHWEST CORNER)

Date Located: 9/15/17
By: SEM
Monument Description: FO 1/2" REBAR
Monument Witnesses: SEE Pg 522 "C"

Field Book: 7 Page: 64

H (SOUTH QUARTER CORNER)

Date Located: 3/28/18
By: SEM
Monument Description: FO RR SPIKE 4" DEEP
Monument Witnesses: SEE Pg 553 "B"


Field Book: 9 Page: 19

I (SOUTHEAST CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

ADDITIONAL NOTES



E (CENTER OF SECTION)

Date Located: 9/10/20
By: SEM MNH
Monument Description: MAG NAIL w/ CO TAG
Monument Witnesses: 5/8" REBAR NO CAP NW 40.50'
1/2" REBAR w/CAP SE 37.20'
1/2" REBAR w/CAP SW 59.47'

Field Book: 19 Page: 31

F (EAST QUARTER CORNER)

Date Located: 5/3/19
By: SEM MNH
Monument Description: 1/2" REBAR NO CAP
Monument Witnesses: 5/8" REBAR NO CAP N 20.0'
1/2" REBAR w/CAP SE 23.20'
NAIL IN B. CAP POWER POLE WSW 77.78'

Field Book: 13 Page: 68

A (NORTHWEST CORNER)

Date Located: 9/15/17
By: SEM
Monument Description: FO 1/2" REBAR
Monument Witnesses: SEE Pg 522 "C"

Field Book: 7 Page: 64

G (SOUTHWEST CORNER)

Date Located: 9/3/20
By: SEM MNH
Monument Description: RR RAIL FCP
Monument Witnesses: RAIL POST E 556.2'

Field Book: 19 Page: 30

B (NORTH QUARTER CORNER)

Date Located: 3/28/18
By: SEM
Monument Description: FO RR SPIKE 4" DEEP
Monument Witnesses: 1/2" REBAR w/CAP NW 33.78'
1/2" REBAR w/CAP NE 40.17'
NAIL IN B. CAP NIPSCO P. POLE ESE 87.85'

Field Book: 9 Page: 19

H (SOUTH QUARTER CORNER)

Date Located: 7/11/18
By: SEM
Monument Description: FO RR SPIKE 5" DEEP
Monument Witnesses: NAIL IN B. CAP P. POLE WNW 52.65'
NAIL IN B. CAP TOP OF FENCE POST NW 23.60'
NAIL IN B. CAP TOP OF FENCE POST NE 30.26'

Field Book: 10 Page: 25

C (NORTHEAST CORNER)

Date Located: 5/3/19
By: SEM MNH
Monument Description: BRONZE MONUMENT
Monument Witnesses: SEE Pg 554 "A"

Field Book: 13 Page: 65

I (SOUTHEAST CORNER)

Date Located: 8/13/18
By: SEM
Monument Description: BRONZE MONUMENT
Monument Witnesses: NAIL IN B. CAP P. POLE NW 32.35'
4 2" AXLE IN 8" STEEL FCP N 20.05'
NAIL IN B. CAP P. POLE SE 28.52'


Field Book: 10 Page: 59

D (WEST QUARTER CORNER)

Date Located: 8/23/18
By: SEM
Monument Description: RR SPIKE
Monument Witnesses: SEE Pg 522 "F"

Field Book: 11 Page: 1

ADDITIONAL NOTES



E (CENTER OF SECTION)

Date Located: 5/3/19
By: SEM MWH
Monument Description: RR SPIKE
Monument Witnesses: 1/2" REBAR W/CAP NE 28.87'
1/2" REBAR W/CAP SE 21.87'

Field Book: 13 Page: 67

F (EAST QUARTER CORNER)

Date Located: 7/28/17
By: SEM
Monument Description: FO 1/2" REBAR 6" DEEP
Monument Witnesses: FO 1/2" REBAR "WALKER" CAP NE 21.60'
NAIL IN B. CAP IN P. BLE ENE 39.99'
FO RR SPIKE 6" DEEP E 8.00'

Field Book: 7 Page: 40

G (SOUTHWEST CORNER)

Date Located: 8/13/18
By: SEM
Monument Description: BRONZE MARKER
Monument Witnesses: SEE Pg 553 "I"

Field Book: 10 Page: 59

H (SOUTH QUARTER CORNER)

Date Located: 8/6/20
By: SEM MWH
Monument Description: SET MAG NAIL W/ CO TAG
Monument Witnesses: 1/2" REBAR W/CAP NE 33.56'
1/2" REBAR W/CAP SE 36.60'

Field Book: 19 Page: 17

I (SOUTHEAST CORNER)

Date Located: 9/13/16
By: SEM
Monument Description: FO RR SPIKE
Monument Witnesses: SEE Pg 555 "G"

Field Book: 4 Page: 65

ADDITIONAL NOTES

A (NORTHWEST CORNER)

Date Located: 5/3/19
By: SEM MWH
Monument Description: BRONZE MONUMENT
Monument Witnesses: 1/2" REBAR W/CAP NW 16.37'
"BOULDER" CAPPED IRON S 20.12'
1/2" REBAR W/CAP SW 12.97'

Field Book: 13 Page: 65

B (NORTH QUARTER CORNER)

Date Located: 5/3/19
By: SEM MWH
Monument Description: RR SPIKE
Monument Witnesses: 1/2" REBAR W/CAP ENE 30.18'
1/2" REBAR W/CAP ESE 30.31'

Field Book: 13 Page: 66

C (NORTHEAST CORNER)


Date Located: 9/16/16
By: SEM
Monument Description: FO RR SPIKE
Monument Witnesses: SEE Pg 551 "I"

Field Book: 4 Page: 70

D (WEST QUARTER CORNER)

Date Located: 5/3/19
By: SEM MWH
Monument Description: 1/2" REBAR NO CAP
Monument Witnesses: SEE Pg 553 "F"

Field Book: 13 Page: 68



E (CENTER OF SECTION)

Date Located: 11/14/19
By: SEM MWH
Monument Description: FO RAILROAD RAIL FCP
Monument Witnesses: _____

Field Book: 18 Page: 21

F (EAST QUARTER CORNER)

Date Located: 11/14/19
By: SEM MWH
Monument Description: 3" DIA STEEL FCP
Monument Witnesses: RAILROAD RAIL POST E 2.65'

Field Book: 18 Page: 20

A (NORTHWEST CORNER)

Date Located: 9/16/16
By: SEM
Monument Description: FO RR SPIKE
Monument Witnesses: SEE Pg 551 "I"

Field Book: 4 Page: 70

G (SOUTHWEST CORNER)

Date Located: 9/13/16
By: SEM
Monument Description: FO RR SPIKE
Monument Witnesses: NAIL IN B. CAP IN P. POLE NNW 19.42'
NEAREST EDGE RR RAIL FCP NE 20.85'
NAIL IN B. CAP IN TRANSFORMED POLE SW 56.56'

Field Book: 4 Page: 65

B (NORTH QUARTER CORNER)

Date Located: 6/17/19
By: SEM
Monument Description: RR SPIKE
Monument Witnesses: 1/2" REBAR W/CAP NW 37.75'
1/2" REBAR W/CAP SW 24.42'

Field Book: 14 Page: 74

H (SOUTH QUARTER CORNER)

Date Located: 9/13/16
By: SEM
Monument Description: FO PK NAIL 2" DEEP
Monument Witnesses: 1/2" REBAR W/CAP NW 24.45'
NEAREST EDGE RR RAIL FCP NNE 23.24'
1/2" REBAR W/CAP NE 43.63'
PK NAIL 2" DEEP E 8.45'

Field Book: 4 Page: 64

C (NORTHEAST CORNER)

Date Located: 6/17/19
By: SEM
Monument Description: RR SPIKE
Monument Witnesses: SEE Pg 556 "A"

Field Book: 14 Page: 72

I (SOUTHEAST CORNER)

Date Located: 6/18/19
By: SEM
Monument Description: BRONZE MARKER
Monument Witnesses: RR RAIL FCP N 20.5'
1/2" REBAR W/CAP NE 28.30'
NEAREST CORNER RR RAIL FCP NE 39.91'


Field Book: 14 Page: 75

D (WEST QUARTER CORNER)

Date Located: 7/28/17
By: SEM
Monument Description: FO 1/2" REBAR 6" DEEP
Monument Witnesses: FO 1/2" REBAR "WALKER" CAP NE 21.60'
NAIL IN B. CAP IN P. POLE ENE 39.99'
FO RR SPIKE 6" DEEP E 8.00'

Field Book: 7 Page: 40

ADDITIONAL NOTES



E (CENTER OF SECTION)

Date Located: 11/14/19
By: SEM MNH
Monument Description: RAILROAD RAIL FCP
Monument Witnesses: _____

Field Book: 18 Page: 19

F (EAST QUARTER CORNER)

Date Located: 9/24/18
By: SEM
Monument Description: MAG NAIL
Monument Witnesses: NAIL IN B. CAP IN P. POLE NE 71.15'
"WALKER" CAPPED IRON E 20.08'
± 2" HEXAGON AXLE W 21.50'

Field Book: 11 Page: 39

G (SOUTHWEST CORNER)

Date Located: 6/13/19
By: SEM
Monument Description: BRONZE MONUMENT
Monument Witnesses: SEE Pg 555 "I"

Field Book: 14 Page: 75

H (SOUTH QUARTER CORNER)

Date Located: 6/24/19
By: SEM
Monument Description: MAG NAIL W/ CO TAG
Monument Witnesses: ± RR RAIL FCP NNE 20.3'
NAIL IN B. CAP TEL POLE NE 38.45'
1/2" REBAR W/ CAP SE 30.42'

Field Book: 15 Page: 13

I (SOUTHEAST CORNER)

Date Located: 8/2/18
By: SEM
Monument Description: FO BRONZE MARKER 6" DEEP
Monument Witnesses: SEE Pg 557 "G"

Field Book: 10 Page: 51

ADDITIONAL NOTES

A (NORTHWEST CORNER)

Date Located: 6/17/19
By: SEM
Monument Description: RR SPIKE
Monument Witnesses: MAG NAIL NO TAG W 76.5'
1/2" x 24" REBAR W/ CAP SW 29.70'
1/2" REBAR W/ CAP SE 28.92'

Field Book: 14 Page: 72

B (NORTH QUARTER CORNER)

Date Located: 6/17/19
By: SEM
Monument Description: RR SPIKE 5" DEEP
Monument Witnesses: NAIL IN B. CAP P POLE NNE 16.05'
± CUT IN RR RAIL FCP S 16.52'
1/2" REBAR W/ CAP SW 21.33'

Field Book: 14 Page: 73

C (NORTHEAST CORNER)

Date Located: 8/9/18
By: SEM
Monument Description: FO 1" IRON PIPE
Monument Witnesses: SEE Pg 549 "I"


Field Book: 10 Page: 58

D (WEST QUARTER CORNER)

Date Located: 11/14/19
By: SEM MNH
Monument Description: 3" DIA STEEL FCP
Monument Witnesses: RAILROAD RAIL POST E 2.65'

Field Book: 18 Page: 20

Wayne
36-32-6



A (NORTHWEST CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

B (NORTH QUARTER CORNER)

Date Located: 3/15/16
By: SRM
Monument Description: MAG NAIL IN WASHER OVER RR SPIKE
Monument Witnesses: 1/2" REBAR w/CAP 47.20' NW
1/2" REBAR w/CAP 29.45' NE
FACE OF RR RAIL FCP 20.05' E
NAIL IN BOTTLE CAP IN P. POLE 61.62' SE

Field Book: 3 Page: 38

C (NORTHEAST CORNER)

Date Located: 3/15/16
By: SRM
Monument Description: MAG NAIL w/WASHER
Monument Witnesses: FACE OF A 6"X10" BRIDGE BEAM FCP 19.83' W
FACE OF A RR RAIL FCP 19.96' E
1/2" REBAR w/CAP 40.43' NE
1/2" REBAR w/CAP 27.20' SE

Field Book: 3 Page: 39

D (WEST QUARTER CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

E (CENTER OF SECTION)

Date Located: 9/26/16
By: SRM
Monument Description: 1 1/2" MAG IN WASHER OVER RR SPIKE
Monument Witnesses: 3/4" REBAR NO CAP NW 53.50'
NAIL IN B. CAP IN POWER POLE SW 50.63'
1/2" RR RAIL FCP W 20.1'

Field Book: 5 Page: 2

F (EAST QUARTER CORNER)

Date Located: 9/26/16
By: SRM
Monument Description: FO MAG NAIL
Monument Witnesses: 1/2" RR RAIL FCP ENE 47.24'
NAIL IN B. CAP IN POWER POLE NW 29.65'
NAIL IN B. CAP IN POWER POLE SE 24.64'

Field Book: 5 Page: 3

G (SOUTHWEST CORNER)

Date Located: _____
By: _____
Monument Description: _____
Monument Witnesses: _____

Field Book: _____ Page: _____

H (SOUTH QUARTER CORNER)

Date Located: 9/28/16
By: SRM
Monument Description: MAG NAIL IN WASHER OVER RR SPIKE
Monument Witnesses: 1/2" REBAR w/CAP NW 48.00'
1/2" REBAR w/CAP NE 55.45'
1/2" RR RAIL FCP SSW 22.14'

Field Book: 5 Page: 7

I (SOUTHEAST CORNER)

Date Located: 9/26/16
By: SRM
Monument Description: FO PK NAIL
Monument Witnesses: 1/2" RR RAIL FCP N 20.0'
NAIL IN B. CAP IN POWER POLE NE 39.02'
MAG NAIL IN PAVEMENT S 2.30'
1/2" REBAR WITH CAP SW 26.37'

Field Book: 5 Page: 4

ADDITIONAL NOTES